



U.S. Department
of Transportation

**National Highway
Traffic Safety
Administration**

400 Seventh Street, S.W.
Washington, D.C. 20590

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



AUTO SAFETY HOTLINE
(800) 424-9393
Wash. D.C. Area 366-0123

DYNAMIC SCIENCE, INC.
In-Depth Accident Investigation

Contract DTNH22-87C-47169
Case DSI-93-AB-010

 1993

DISCLAIMERS

This document is disseminated under the sponsorship of the Department of Transportation in the interest of information exchange. The United States Government assumes no responsibility for the contents or use thereof.

The opinions, findings, and conclusions expressed in this publication are those of the authors and not necessarily those of the National Highway Traffic Safety Administration.

The crash investigation process is an inexact science which requires that physical evidence such as skid marks, vehicular damage measurements, and occupant contact points are coupled with the investigator's expert knowledge and experience of vehicle dynamics and occupant kinematics in order to determine the pre-crash, crash, and post-crash movements of involved vehicles and occupants.

Because each crash is a unique sequence of events, generalized conclusions cannot be made concerning the crashworthiness performance of the involved vehicle(s) or their safety systems.

TECHNICAL SUMMARY

CONTRACTOR: Dynamic Science, Inc.
CONTRACT NUMBER: DTNH22-87C-47169
CASE NUMBER: Case DSI-93-AB-010

[REDACTED]

Vehicle 1, a 1991 Acura Legend L four-door, was being driven south in the southbound left turn lane of a three lane, undivided, urban roadway in the [REDACTED] during the late night hours of a summer weekend.

The driver of Vehicle 1 was preparing to turn left onto an intersecting two lane, undivided roadway and the vehicle was travelling at a speed estimated to be between 24 and 32 KPH (15 and 20 MPH).

The intersection had been prepared for resurfacing and the old road surface had been removed. This preparation had left four manhole tubes projecting above the road surface. As the driver began the left turn, the left front undercarriage struck a manhole tube.

This impact was out of scope for CRASH III PC, or any other acceptable reconstruction program, and the Delta V was not computed. The CDC for this impact was 00UYLN2 and the combined direct and induced damage length was 208.3 cm (82 in). The forces in this undercarriage impact resulted in the deployment of the airbag.

The driver of Vehicle 1 sustained minor injuries consisting of abrasions; maximum AIS = AIS-1. She was treated the next day by a private physician. The right front seating position occupant sustained no injury.

After impact, Vehicle 1 was brought to a controlled stop and was later driven from the scene.

This document is disseminated under the sponsorship of the Department of Transportation in the interest of information exchange. The United States Government assumes no responsibility for the contents or use thereof.

The opinions, findings, and conclusions expressed in this publication are those of the authors and not necessarily those of the National Highway Traffic Safety Administration.

The crash investigation process is an inexact science which requires that physical evidence such as skid marks, vehicular damage measurements, and occupant contact points be coupled with the investigator's expert knowledge and experience of vehicle dynamics and occupant kinematics in order to determine the pre-crash, crash, and post-crash movements of involved vehicles and occupants.

Because each crash is a unique sequence of events, generalized conclusions cannot be made concerning the crashworthiness performance of the involved vehicle(s) or their safety systems.

DYNAMIC SCIENCE, INC.
ACCIDENT INVESTIGATION
CASE NUMBER: DSI-93-AB-010

TABLE OF CONTENTS

Accident Data.....	1
Ambience.....	1
Roadway.....	2
Traffic Controls.....	3
Vehicles.....	4
Vehicle Damage and Velocity Estimates.....	5
Collision Sequence.....	6
Occupant Kinematics.....	7
Airbag System.....	7
Emergency Rescue Response.....	8
Safety Standards.....	8
Occupant Data.....	9
Injuries.....	10
List of Abbreviations.....	11
Accident Schematic.....	13
Collision Measurement Table.....	14
Photo Index and Photos.....	15
Slide Index and Slides.....	16

Appendices:

- A. NASS Field Forms
- B. Police Accident Report

Dynamic Science, Inc.
In-Depth Investigation
Case Number: DSI-93-AB-010

ACCIDENT DATA:

Location:	[REDACTED]
Area/Type:	Urban/Residential
Date/Time:	Summer Weekend/Night
Accident Type:	Car/Fixed Object

Injury Severity:

Vehicle 1:	Driver (case occupant), AIS-1 R/F Occupant, No injury
-------------------	--

AMBIENCE:

Viewing Conditions:	No viewing restrictions
Cloud Cover:	Clear
Precipitation:	None
Temperature:	18 to 21 ° C (65 to 70 ° F)
Road Surface:	Dry

ROADWAY:

VEHICLE 1

Type:	3 lane, undivided at right angle intersection
Width:	9.4 m (30.8 ft)
Traffic Density:	Light
Median:	None
Edge:	20.3 cm (8.0 in) raised concrete curb
Surface:	Shaved asphalt/concrete
Reported Defects:	Raised manholes due to resurfacing preparations
Co-efficient of Friction (est.):	.85
Vertical Alignment:	Negative 6 percent, Downgrade
Horizontal Alignment:	Straight

Traffic Controls:

VEHICLE 1

Signals:	On-color red, yellow and green traffic signals
Signs:	Construction warning signs
Speed Limit:	40 KPH (25 MPH)
Markings:	None - all markings removed when old asphalt surface was removed.

VEHICLES:

VEHICLE 1

Description:	1991 Acura Legend L
Odometer:	16,980 km (10,551 mi)
Engine:	V6 / 3.2 L
Vehicle Modifications:	None
Tire Condition:	Excellent, over 80% of tread remains. No abnormal treadwear patterns.
Manual Restraints:	3-point, manual lap/shoulder restraints at L/F, R/F, L/R and R/R seating positions. 2-point lap restraint at C/R seating position.
Automatic Restraints:	Driver's airbag
Reported Defects:	None
Cargo:	None
Windshield Damage:	None
Fleet:	None
Tow Status:	Not towed, driven from scene.

VEHICLE DAMAGE:

VEHICLE 1

Object Struck:	Raised manhole tube and cover
Event Number:	01
CDC:	00UYLN2
Maximum Crush:	Not measured, undercarriage damage

VEHICLE VELOCITY ESTIMATES:

VEHICLE 1

Impact Speed: (estimated)	24-32 KPH (15-20 MPH)
Total Delta V:	Not computed - out of scope
Longitudinal Delta V:	Not computed - out of scope
Lateral Delta V:	Not computed - out of scope
Energy Dissipation:	Not computed - out of scope

Calculations based upon:	None, accident is out of scope of acceptable accident reconstruction programs.
--------------------------	--

COLLISION SEQUENCE:

Pre-Crash:

This single vehicle incident occurred during the late night hours of a summer weekend on a three-lane, undivided, asphalt paved, urban roadway in the ~~XXXXXXXXXXXX~~. The weather was clear, there were no viewing restrictions and the road surface was dry. Traffic volume was light and the posted speed limit is 40 KPH (25 MPH).

The roadway is a north/south three-lane road that intersects at right angles with an east/west two-lane, undivided, asphalt paved roadway. The north/south road configuration is a southbound and northbound through travel lane, and a dedicated left turn lane in each direction. The intersecting roadway consists of a westbound and an eastbound travel lane.

Traffic at the intersection is controlled by on-color red, yellow and green traffic signal lights, and the old roadway surfaces had been removed in preparation for resurfacing. This road work had removed all lane and crosswalk markings, and had left four manhole tubes projecting above the road surface. Two of the manholes projected 10.2 cm (4 in) above the road surface, one projected 11.7 cm (4.6 in) and the fourth projected approximately 19.1 cm (7.5 in) above the road surface. Each manhole tube had been temporarily "ramped" with cold asphalt. There were construction warning signs posted approximately 30.5 m (100 ft) from the intersection in each direction.

Vehicle 1, a 1991 Acura Legend L four-door, was being driven south in the southbound left turn lane at a speed estimated to be between 24 and 32 KPH (15 and 20 MPH) by the 62 year old female driver who was restrained by the available three point, manual lap/shoulder safety restraints. Occupant 2, a 76 year old male, was sitting in the right front seating position and was wearing the available three point lap/shoulder safety restraints.

As the driver of Vehicle 1 was making a left turn into the intersecting road, the right front wheel of the vehicle drove over one of the manholes protruding 10.2 cm (4.0 in) which raised the right front of Vehicle 1 and caused the left front to lower slightly as it approached the 19.1 cm (7.5 in) high manhole tube.

Crash:

As the left front tire passed to the left of the 19.1 cm (7.5 in) high manhole the left front trunion, engine cradle, and other suspension components contacted the manhole tube. This impact was out of scope for CRASH III PC, and other acceptable reconstruction programs, and a Delta V was not computed. The CDC for this impact was 00ULYN2 and the

combined direct and induced damage length was 208.3 cm (82 in). The forces involved in this undercarriage impact resulted in the deployment airbag.

Post Crash:

After impact, the driver applied the brakes of Vehicle 1 and brought it to a controlled stop adjacent to the south curb line of the east/west roadway approximately 18.3 m (60 ft) east of the POI.

Occupant Kinematics:


The driver of Vehicle 1 (the case occupant) was seated in a bucket seat in a normal, upright seated position. The driver, who weighs 59 kg (130 lb) and is 163 cm (64 in) in height, was wearing the available three point, manual lap/shoulder safety restraints and had the electric seat adjusted to the full forward position. The seat height was adjusted to near its full extension, and the adjustable seat back rest was in a normal, upright configuration.

At impact, the driver's hands were on the steering wheel rim, but their exact positions could not be determined. The driver's right foot was on the accelerator and her left foot was on the foot rest attached to the left toe pan.

The forces in this impact cause the driver's head to be projected forward and down and as the airbag deployed her face contacted the airbag. This contact resulted in minor facial abrasions.

Airbag System:

The case vehicle was equipped with a driver's side supplemental restraint system and the airbag deployed as a result of a "snagging" type impact of the left front suspension with a raised manhole tube. The airbag was manufactured by [REDACTED] Japan and was stamped with the following identification numbers:



The airbag was not damaged during the accident sequence and did not yield evidence of occupant contact. The airbag measured 63.5 cm (25 in) in diameter in its deflated, post-accident state. The airbag was vented by two ports located on the back side of the bag (away from the driver). The 3.8 cm (1.5 in) diameter ports were located at the 10:30 and 1:30 o'clock

positions approximately 17.8 cm (7 in) below the airbag seam and were approximately 15.2 cm (6 in) distance from each other.

At the time of Dynamic Science's on-site inspection that occurred 9 days post accident and within 24 hours of notification, the airbag contained four horizontal and five vertical fold creases as oriented to the top of the airbag module.

Inspection of the airbag module, after removal from the steering wheel hub revealed the following numbers which were attached to the back of the module:



Inspection of the supplemental restraint system sensors, wiring and modules, revealed no inappropriate wear, damage or alterations.

Scene Clearance: The driver of Vehicle 1 (the case occupant) sustained minor facial abrasions; maximum AIS = AIS-1. She did not require medical attention and was examined the next day by a private physician. Occupant 2 sustained no injury in the accident.

Police were not called, nor was an investigation made of this incident. The case occupant drove the vehicle from the scene.

Safety Standards: During the vehicle inspection, no violations were found of Federal Motor Vehicle Safety Standards and Regulations.

DRIVER AND OTHER OCCUPANTS:

VEHICLE 1

	<u>DRIVER</u>	<u>OCCUPANT 2</u>
Age/Sex:	62 year old/Female	76 year old/Male
Seated Position:	Left Front	Right Front
Seat Type:	Bucket	Bucket
Height:	163 cm (64 in)	180 cm (71 in)
Weight:	59 kg (130 lb)	79 kg. (175 lb)
Occupation:	Housewife	Newscaster/Reporter
Pre-existing Medical Condition:	None known	None known
Alcohol/Drug Involvement:	None	None
Driving Experience:	40 years	N/A
Body Posture:	Normal, upright seated position	Normal, upright seated position
Hand Position:	Both hands on steering wheel rim - positions unknown	Unknown
Foot Position:	Left foot on floor/toe pan, right foot on brake	Both feet on floor/toe pan
Restraint Usage:	3-point manual lap/shoulder restraint	3-point manual lap/shoulder restraint
Additional Occupants:	One	None

Dynamic Science, Inc.
In-Depth Investigation
Case Number: DSI-93-AB-010

INJURIES:

Vehicle 1

	<u>INJURY</u>	<u>OIC CODE</u>	<u>ICD-9</u>	<u>SOURCE</u>
DRIVER:	Abrasions, Face	7290202.1,0	910	Airbag

R/F OCCUPANT:	Not injured
--------------------------	-------------

Abbreviations Used In Scene And Photographic Documentation

ft	Feet
in	Inches
AIS	Abbreviated Injury Scale
BLF	Begin Left Front
BLR	Begin Left Rear
BRF	Begin Right Front
BRR	Begin Right Rear
CBE	Cab Behind Engine
CCW	Counterclockwise
CDC	Collision Deformation Classification
CG	Center of Gravity
CM	Centimeter
COE	Cab Over Engine
CW	Clockwise
E, EB	East, Eastbound
ELF	End Left Front
ELR	End Left Rear
ERF	End Right Front
ERR	End Right Rear
FRP	Final Rest Position
I	Interstate Highway
IP	Intermediate Point
KG	Kilogram
KPH	Kilometers Per Hour
LF	Left Front
LR	Left Rear
M	Meter
N, NB	North, Northbound
NE	Northeast
NW	Northwest
PDOF	Principal Direction of Force
POI	Point of Impact
R	Radius of Curvature
RF	Right Front
RL	Reference Line
RP	Reference Point
RR	Right Rear
S, SB	South, Southbound
SE	Southeast
SW	Southwest
T	Time or Elapsed Time (in seconds)
U.S.	United States Highway
V1	Vehicle Number 1
W, WB	West, Westbound

Body Contacts and Injury Table, Case DSI-93-AB-010
62 Year Old Female; Left Front
1991 Acura Legend L 4-door
CDC = 00UYLN2; PDOF = 000°; Delta V = Not computed


<u>OIC/AIS CODE</u>	<u>ICD-9</u>	<u>INJURIES</u>	<u>CONTACT POINT</u>
7290202.1,0451100	910.0	Abrasions, Face	Airbag

DYNAMIC SCIENCE
DSI-93-AB-010
1 cm = 2.4 m
1" = 20.0'



Reference Point

Reference Line



COLLISION MEASUREMENTS

Case Number DSI-93-AB-010

Reference Point: Meeting point north curb line, east/west roadway and east curb line north/south roadway

Reference Line: North curb line east/west roadway

DATA POINT	LONGITUDINAL S	LATERALS
East curb, north/south roadway	0	15.2 c (50 ft) N
Broken, white painted line	3.0 m (10 ft) W	15.2 c (50 ft) N
Double, yellow painted line	6.0 m (19.8 ft) W	15.2 c (50 ft) N
West curb, north/south roadway	9.4 m (30.8 ft) W	15.2 c (50 ft) N
North curb, east/west roadway	9.1 m (30 ft) E	0
Double, yellow painted line	9.1 m (30 ft) E	4.6m (15.0 ft) S
South curb, east/west roadway	9.1 m (30 ft) E	9.1m (30.0 ft) S
POI (manhole # 4)	2.7 m (8.9 ft) W	3.4m (11.3 ft) S
Manhole # 1 (center) Approximate height above road surface = 11.7 cm (4.6 in)	5.1 m (16.8 ft) W	.9 m (2.8 ft) S
Manhole # 2 (center) Approximate height above road surface = 10.2 cm (4 in)	5.1 m (16.8 ft) W	3.8m (12.4 ft) S
Manhole # 3 (center) Approximate height above road surface = 10.2 cm (4 in)	5.1 m (16.8 ft) W	5.1 m (16.6 ft) S
Manhole # 4 (center) Approximate height above road surface = 19.1 cm (7.5 in)	2.5 m (8.3 ft) W	3.9 m (12.7 ft) S

PHOTO INDEX

Case No. DSI-93-AB-010

PHOTO NO.	VEHICLE NO.	ORIENTATION	SUBJECT MATTER
1	Vehicle 1	north	Approach path, Vehicle 1
2-6	Vehicle 1	south	Travel path, Vehicle 1
7	Vehicle 1	southeast	POI, Vehicle 1
8	Vehicle 1	north	Reverse travel path, Vehicle 1
9-14	Vehicle 1	CCW	Exterior views, Vehicle 1
15	Vehicle 1	---	L/F wheel/undercarriage, Vehicle 1
16-28	Vehicle 1	front to rear	Left side undercarriage, Vehicle 1
29-31	Vehicle 2	rear to front	Left side undercarriage, Vehicle 1
32-37	Vehicle 2	front to rear	Right side undercarriage, Vehicle 1
38-48	Vehicle 2	---	Interior views, Vehicle 1
49-56	Vehicle 2	---	Airbag, Airbag module






























































SLIDE INDEX

Case No. DSI-93-AB-010

SLIDE NO.	VEHICLE NO.	ORIENTATION	SUBJECT MATTER
1	Vehicle 1	north	Approach path, Vehicle 1
2-7	Vehicle 1	south	Travel path, Vehicle 1
8	Vehicle 1	south	POI, Vehicle 1
9	Vehicle 1	north	Reverse travel path, Vehicle 1
10-15	Vehicle 1	CCW	Exterior views, Vehicle 1
16-27	Vehicle 1	front to rear	Left side undercarriage, Vehicle 1
28-29	Vehicle 1	rear to front	Left side undercarriage, Vehicle 1
30-32	Vehicle 1	front to rear	Right side undercarriage, Vehicle 1
33-42	Vehicle 1	---	Interior views, Vehicle 1
43-50	Vehicle 1	---	Airbag, Airbag module



DS9310 #1



DS9310 #2



DS9310 #3



DS9310 #4



DS9310 #5



D89310 #6



DS9310 #7



DS9310 #8



DS9310 #9



DS9310 #10



DS9310 #11



DS9310 #12



DS9310 #13



DS9310 #14



DS9310 #15




D89310 #16
Best Available



089310 #17
Best Available



DS9310 #18
Best Available



089310 #19
Best Available



DS9310 #20
Best Available



DS9310 #21
Best Available



DS 9310 #22
Best Available



DS 9310 #23
Best Available



DS9310 #24
Best Available



D89310 #25




DS9310 #26



DS9310 #27



DS9310 #28



DS9310 #29
Best Available



DS9310 #30



DS9310 #31



DS9310 #32



DS9310 #33



DS9310 #34



DS9310 #35



DS9310 #36



DS9310 #37



D59310 #38



DS9310 #39



DS9310 #40



DS9310 #41




DS9310 #42



DS9310 #43



DS9310 #44



DS9310 #45



DS9310 #46



DS9310 #47



DS9310 #48



DS9310 #49



DS9310 #50

ACCIDENT FORM

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

1. Primary Sampling Unit Number _____

2. Case Number - Stratum DST-93-AB-010

IDENTIFICATION

3. Number of General Vehicle
Forms Submitted 01

4. Date of Accident
(Month, Day, Year) SUMMER / WEEKEND 19 93

5. Time of Accident NIGHT

Code reported military time of accident.

NOTE: Midnight = 2400
Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS14-SS18 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. 0 SS14 Fatal AOPS 0

7. 0 SS15 Administrative Use 0

8. 0 SS16 _____ 0

9. 0 SS17 _____ 0

10. 0 SS18 _____ 0

NUMBER OF EVENTS

11. Number of Recorded Events
in This Accident 01

Code the number of events which occurred
in this accident.

ACCIDENT EVENTS

For each event that occurred in the accident, code the lowest numbered vehicle in the left columns and the other involved vehicle or object on the right.

Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0 1</u>	13. <u>01</u>	14. <u>05</u>	15. <u>1</u>	16. <u>68</u>	17. <u>00</u>	18. <u>0</u>
19. <u>0 2</u>	20. _____	21. _____	22. _____	23. _____	24. _____	25. _____
26. <u>0 3</u>	27. _____	28. _____	29. _____	30. _____	31. _____	32. _____
33. <u>0 4</u>	34. _____	35. _____	36. _____	37. _____	38. _____	39. _____
40. <u>0 5</u>	41. _____	42. _____	43. _____	44. _____	45. _____	46. _____

IF GREATER THAN FIVE EVENTS, CONTINUE CODING ON THE ACCIDENT EVENT SUPPLEMENT

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type
- (20) School bus
- (21) Other bus
- (22) Truck (> 4,500 kgs GVWR)
- (23) Tractor without trailer
- (24) Tractor-trailer(s)
- (25) Motored cycle
- (28) Other vehicle
- (99) Unknown

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE AND OTHER VEHICLES

- (O) Not a motor vehicle
- (N) Noncollision
- (F) Front
- (R) Right side
- (L) Left side
- (B) Back
- (T) Top
- (U) Undercarriage
- (9) Unknown

TDC APPLICABLE VEHICLES

- (O) Not a motor vehicle
- (N) Noncollision
- (F) Front
- (R) Right side
- (L) Left side
- (B) Back of unit with cargo
area (rear of trailer or
straight truck)
- (D) Back (rear of tractor)
- (C) Rear of cab
- (V) Front of cargo area
- (T) Top
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

(01-30) — Vehicle Number

Noncollision

- (31) Overturn — rollover
- (32) Fire or explosion
- (33) Jackknife
- (34) Other intraunit damage (specify):

(35) Noncollision injury

(38) Other noncollision (specify):

(39) Noncollision — details unknown

Collision With Fixed Object

- (41) Tree (≤ 10 cm in diameter)
- (42) Tree (> 10 cm in diameter)
- (43) Shrubbery or bush
- (44) Embankment

(45) Breakaway pole or post (any diameter)

Nonbreakaway Pole or Post

- (50) Pole or post (≤ 10 cm in diameter)
- (51) Pole or post (> 10 cm but ≤ 30 cm in
diameter)
- (52) Pole or post (> 30 cm in diameter)
- (53) Pole or post (diameter unknown)

(54) Concrete traffic barrier

(55) Impact attenuator

(56) Other traffic barrier (includes guardrail)
(specify):

(57) Fence

(58) Wall

(59) Building

(60) Ditch or culvert

(61) Ground

(62) Fire hydrant

(63) Curb

(64) Bridge

(68) Other fixed object (specify):

RAISED MANHOLE TUBE AND COVER

(69) Unknown fixed object

Collision with Nonfixed Object

(71) Motor vehicle not in-transport

(72) Pedestrian

(73) Cyclist or cycle

(74) Other nonmotorist or conveyance

(75) Vehicle occupant

(76) Animal

(77) Train

(78) Trailer, disconnected in transport

(88) Other nonfixed object (specify):

(89) Unknown nonfixed object

(98) Other event (specify):

(99) Unknown event or object



GENERAL VEHICLE FORM

1. Primary Sampling Unit Number
2. Case Number - Stratum DSI-93-AB-010
3. Vehicle Number 01

VEHICLE IDENTIFICATION

4. Vehicle Model Year 91
Code the last two digits of the model year
(99) Unknown
5. Vehicle Make (specify): 54
ACURA
Applicable codes are found in your
NASS Data Collection, Coding and
Editing Manual.
(99) Unknown
6. Vehicle Model (specify): 032
LEGEND L
Applicable codes are found in your
NASS Data Collection, Coding and
Editing Manual.
(999) Unknown
7. Body Type 04
Note: Applicable codes may be found on
the back of this page.
8. Vehicle Identification Number
JH4KA7654MC * * * * *
Left justify; Slash zeros and letter Z (0 and Z)
No VIN—Code all zeros
Unknown—Code all nine's

OFFICIAL RECORDS

9. Police Reported Vehicle Disposition 9
(0) Not towed due to vehicle damage
(1) Towed due to vehicle damage
(9) Unknown
10. Police Reported Travel Speed 999
Code to the nearest kph (NOTE: 000 means
less than 0.5 kph)
(160) 159.5 kph and above
(999) Unknown
 mph X 1.6093 = kph

11. Police Reported Alcohol Presence 9
(0) No alcohol present
(1) Yes (alcohol present)
(7) Not reported
(8) No driver present
(9) Unknown

Note: See variables 37 through 55
(Page 4) for information on Other Drugs

12. Alcohol Test Result For Driver 99
Code actual value (decimal implied
before first digit—0.xx)
(95) Test refused
(96) None given
(97) AC test performed, results unknown
(98) No driver present
(99) Unknown

Source: NO POLICE INVESTIGATION

ACCIDENT RELATED

13. Speed Limit 040
(000) No statutory limit
Code posted or statutory speed limit
in kph
(999) Unknown
25 mph X 1.6093 = 040 kph
14. Attempted Avoidance Maneuver 01
(00) No impact
(01) No avoidance actions
(02) Braking (no lockup)
(03) Braking (lockup)
(04) Braking (lockup unknown)
(05) Releasing brakes
(06) Steering left
(07) Steering right
(08) Braking and steering left
(09) Braking and steering right
(10) Accelerating
(11) Accelerating and steering left
(12) Accelerating and steering right
(97) No driver present
(98) Other action (specify):
(99) Unknown
15. Accident Type 12
Applicable codes may be found on the
back of page two of this field form
(00) No impact
Code the number of the diagram that
best describes the accident circumstance
(98) Other accident type (specify):
(99) Unknown

**** SKIP TO VARIABLE GV37 IF GV07 DOES NOT EQUAL 01-49 ****

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify): _____
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine - more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles ($\leq 4,500$ kgs GVWR)

- (14) Compact utility (Jeep CJ-2 - CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks ($\leq 4,500$ kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van ($\leq 4,500$ kgs GVWR)
- (23) Van based motorhome ($\leq 4,500$ kgs GVWR)
- (24) Van based school bus ($\leq 4,500$ kgs GVWR)
- (25) Van based other bus ($\leq 4,500$ kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify): _____
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, $\leq 4,500$ kgs GVWR)

- (30) Compact pickup (D60, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500.)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks ($\leq 4,500$ kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify): _____
- (59) Unknown bus type

Medium/Heavy Trucks ($> 4,500$ kgs GVWR)

- (60) Step van ($> 4,500$ kgs GVWR)
- (61) Single unit straight truck ($4,500$ kgs $<$ GVWR $\leq 8,850$ kgs)
- (62) Single unit straight truck ($8,850$ kgs $<$ GVWR $\leq 12,000$ kgs)
- (63) Single unit straight truck ($> 12,000$ kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify): _____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

OCCUPANT RELATED

16. Driver Presence in Vehicle 1
 (0) Driver not present
 (1) Driver present
 (9) Unknown
17. Number of Occupants This Vehicle φ 2
 (00-96) Code actual number of occupants for this vehicle
 (97) 97 or more
 (99) Unknown
18. Number of Occupant Forms Submitted φ 2

24. Rollover φ
 (0) No rollover (no overturning)
- Rollover (primarily about the longitudinal axis)*
 (1) Rollover, 1 quarter turn only
 (2) Rollover, 2 quarter turns
 (3) Rollover, 3 quarter turns
 (4) Rollover, 4 or more quarter turns (specify):

- (5) Rollover--end-over-end (i.e., primarily about the lateral axis)
 (9) Rollover (overturn), details unknown

VEHICLE WEIGHT ITEMS

19. Vehicle Curb Weight 1.580
 _____ Code weight to nearest 10 kilograms.
 (045) Less than 450 kilograms
 (610) 6,100 kilograms or more
 (999) Unknown
- φ 3.486 lbs X .4536 = 1.581 kgs
- Source: _____
20. Vehicle Cargo Weight φ. φ φ 0
 _____ Code weight to nearest 10 kilograms.
 (000) Less than 5 kilograms
 (450) 4,500 kilograms or more
 (999) Unknown
- _____, _____ lbs X .4536 = _____, _____ kgs

OVERRIDE/UNDERRIDE (THIS VEHICLE)

25. Front Override/Underride (this Vehicle) φ
26. Rear Override/Underride (this Vehicle) φ
- (0) No override/underride, or not an end-to-end impact
- Override (see specific CDC)*
 (1) 1st CDC
 (2) 2nd CDC
 (3) Other not automated CDC (specify):

- Underride (see specific CDC)*
 (4) 1st CDC
 (5) 2nd CDC
 (6) Other not automated CDC (specify):

- (7) Medium/heavy truck or bus override
 (9) Unknown









































RECONSTRUCTION DATA

21. Towed Trailing Unit φ
 (0) No towed unit
 (1) Yes--towed trailing unit
 (9) Unknown
22. Documentation of Trajectory Data for This Vehicle φ
 (0) No
 (1) Yes
23. Post Collision Condition of Tree or Pole (For Highest Delta V) φ
 (0) Not collision (for highest delta V) with tree or pole
 (1) Not damaged
 (2) Cracked/sheared
 (3) Tilted <45 degrees
 (4) Tilted ≥45 degrees
 (5) Uprooted tree
 (6) Separated pole from base
 (7) Pole replaced
 (8) Other (specify):

 (9) Unknown

HEADING ANGLE AT IMPACT FOR HIGHEST DELTA V

- Values: (000)-(359) Code actual value
 (997) Noncollision
 (998) Impact with object
 (999) Unknown
27. Heading Angle For This Vehicle 9 9 8
28. Heading Angle For Other Vehicle 9 9 8

Category	Configuration	ACCIDENT TYPES (Includes Intent)				
I Single Driver	A Right Roadside Departure	 01 DRIVE OFF ROAD	 02 CONTROL/ TRACTION LOSS	 03 AVOID COLLISION WITH VEH., PED., ANIM.	04 SPECIFICS OTHER	05 SPECIFICS UNKNOWN
	B Left Roadside Departure	 06 DRIVE OFF ROAD	 07 CONTROL/ TRACTION LOSS	 08 AVOID COLLISION WITH VEH., PED., ANIM.	09 SPECIFICS OTHER	10 SPECIFICS UNKNOWN
	C Forward Impact	 11 PARKED VEH.	 12 STA. OBJECT	 13 PEDESTRIAN/ ANIMAL	 14 END DEPARTURE	15 SPECIFICS OTHER 16 SPECIFICS UNKNOWN
II Same Trafficway Same Direction	D Rear-End	 20 STOPPED 21, 22, 23	 22 SLOWER 24, 25, 27	 26 DECEL. 28, 29, 31	 30 AVOID COLLISION WITH VEH.	(EACH - 32) SPECIFICS OTHER (EACH - 33) SPECIFICS UNKNOWN
	E Forward Impact	 34 CONTROL/ TRACTION LOSS	 36 CONTROL/ TRACTION LOSS	 38 AVOID COLLISION WITH VEH.	 40 AVOID COLLISION WITH OBJECT	(EACH - 42) SPECIFICS OTHER (EACH - 43) SPECIFICS UNKNOWN
	F Sideswipe Angle	 44 45 46 47	 46 45 46 47	 48 45 46 47	(EACH - 48) SPECIFICS OTHER	(EACH - 49) SPECIFICS UNKNOWN
III Same Trafficway Opposite Direction	G Head-On	 50 LATERAL MOVE	 51 LATERAL MOVE	(EACH - 52) SPECIFICS OTHER	(EACH - 53) SPECIFICS UNKNOWN	
	H Forward Impact	 54 CONTROL/ TRACTION LOSS	 56 CONTROL/ TRACTION LOSS	 58 AVOID COLLISION WITH VEH.	 60 AVOID COLLISION WITH OBJECT	(EACH - 62) SPECIFICS OTHER (EACH - 63) SPECIFICS UNKNOWN
	I Sideswipe Angle	 64 LATERAL MOVE	 65 LATERAL MOVE	(EACH - 66) SPECIFICS OTHER	(EACH - 67) SPECIFICS UNKNOWN	
IV Change Trafficway Vehicle Turning	J Turn Across Path	 68 INITIAL OPPOSITE DIRECTIONS	 71 INITIAL SAME DIRECTIONS	 73 INITIAL SAME DIRECTIONS	(EACH - 74) SPECIFICS OTHER	(EACH - 75) SPECIFICS UNKNOWN
	K Turn Into Path	 77 TURN INTO SAME DIRECTION	 78 TURN INTO SAME DIRECTION	 80 TURN INTO OPPOSITE DIRECTIONS	 82 TURN INTO OPPOSITE DIRECTIONS	(EACH - 84) SPECIFICS OTHER (EACH - 85) SPECIFICS UNKNOWN
V Intersecting Paths (Vehicle Damage)	L Straight Paths	 87 88	 88 89	(EACH - 90) SPECIFICS OTHER	(EACH - 91) SPECIFICS UNKNOWN	
VI Miscellaneous	M Backing Etc.	 92 BACKING VEH.	 93 OTHER VEH. OR OBJECT	98 Other Accident Type 99 Unknown Accident Type 00 No Impact		

29. Basis for Total Delta V (highest) 4*Delta V Calculated*

- (1) CRASH program—damage only routine
- (2) CRASH program—damage and trajectory routine
- (3) Missing vehicle algorithm

Delta V Not Calculated

- (4) At least one vehicle (which may be this vehicle) is beyond the scope of an acceptable reconstruction program, regardless of collision conditions.
- (5) All vehicles within scope (CDC applicable) of CRASH program but one of the collision conditions is beyond the scope of the CRASH program or other acceptable reconstruction technique, regardless of adequacy of damage data.
- (6) All vehicle and collision conditions are within scope of one of the acceptable reconstruction programs, but there is insufficient data available.

COMPUTER GENERATED DELTA V

30. Total Delta V

Secondary Highest

9 9 9

____ Nearest kph _____

(NOTE: 000 means less than
0.5 kph)
(160) 159.5 kph and above
(999) Unknown

31. Longitudinal Component of
Delta V+
- 9 9 9

____ Nearest kph _____

(NOTE: __000 means greater than
-0.5 kph and less than +0.5 kph)
(±160) ±159.5 kph and above
(__999) Unknown

32. Lateral Component of Delta V

Secondary Highest
+
- 9 9 9

____ Nearest kph _____

(NOTE: __000 means greater than
-0.5 kph and less than +0.5 kph)
(±160) ±159.5 kph and above
(__999) Unknown

33. Energy Absorption

9 9 9, 9 0 0

____ Nearest 100 joules _____

(NOTE: 0000 means less than 50 joules)
(9997) 999,650 joules or more
(9999) Unknown

34. Confidence In Reconstruction Program
Results (For Highest Delta V)

- (0) No reconstruction φ
- (1) Collision fits model — results appear reasonable
- (2) Collision fits model — results appear high
- (3) Collision fits model — results appear low
- (4) Borderline reconstruction — results appear reasonable

35. Type of Vehicle Inspection

- (0) No inspection 1
- (1) Complete inspection
- (2) Partial inspection (specify): _____

36. Is this an AOPS Vehicle?

- (0) No 1
- (1) Yes - researcher determined
- (2) VIN determined air bag system
- (3) VIN determined automatic (passive) belts
- (4) VIN determined air bag and automatic (passive) belts

IS OLDMISS APPLICABLE FOR THIS VEHICLE? [] YES [☒] NO

IF YES: IS A COMPLETED OLDMISS PROGRAM SUMMARY INCLUDED? [] YES [] NO

37. Police Reported Other Drug Presence 9

- (0) No other drugs present
- (1) Yes (other drug present)
- (7) Not reported
- (8) No driver present
- (9) Unknown

38. Police Reported Drug Evaluation Classification (DEC) Test For Driver φ

- (0) No DEC process available or given
- (1) DEC process given, results known
- (2) DEC process given, results unknown
- (3) DEC process available, unknown if given
- (8) No driver present

39. Other Drug Specimen Test Type For Driver φ

- (0) No specimen test given
- (1) Blood test
- (2) Urine test
- (3) Other specimen tests (specify):

- (7) Unspecified specimen test
- (8) No driver present
- (9) Unknown if specimen test given

**DRUG EVALUATION CLASSIFICATION
OTHER DRUGS TEST RESULTS FOR DRIVER**

	DEC Test Results	Specimen Test Results
Narcotic Drug	40. <u>φ</u>	41. <u>φ</u>
Depressant Drug	42. <u>φ</u>	43. <u>φ</u>
Stimulant Drug	44. <u>φ</u>	45. <u>φ</u>
Hallucinogen Drug	46. <u>φ</u>	47. <u>φ</u>
Cannabinoid Drug	48. <u>φ</u>	49. <u>φ</u>
Phencyclidine (PCP)	50. <u>φ</u>	51. <u>φ</u>
Inhalant Drug	52. <u>φ</u>	53. <u>φ</u>
Other Drug (Excluding Nicotine, Aspirin, Alcohol, Drugs Administered Post-Crash)	54. <u>φ</u>	55. <u>φ</u>

Codes For DEC Test Results

- (0) No DEC test given
- (1) Passed DEC test
- (2) Failed DEC test
- (3) DEC test given—results unknown
- (8) No driver present
- (9) Unknown if DEC test given

Codes for Specimen Test Results

- (0) No specimen test given
- (1) Drug not found in specimen
- (2) Drug found in specimen
- (7) Specimen test given, results unknown or not obtained
- (8) No driver present
- (9) Unknown if specimen test given

OTHER DATA

56. Driver's Zip Code

- (00000) Driver not present
 (00001) Driver not a resident of U.S. or territories
 Code actual 5-digit zip code
 (99999) Unknown

57. Driver's Race/Ethnic Origin

- (0) Driver not present
 (1) White (non-Hispanic)
 (2) Black (non-Hispanic)
 (3) White (Hispanic)
 (4) Black (Hispanic)
 (5) American Indian, Eskimo or Aleut
 (6) Asian or Pacific Islander
 (8) Other (specify):
 (9) Unknown

58. Vehicle Special Use (This Trip)

- (0) No special use
 (1) Taxi
 (2) Vehicle used as school bus
 (3) Vehicle used as other bus
 (4) Military
 (5) Police
 (6) Ambulance
 (7) Fire truck or car
 (8) Other (specify):
 (9) Unknown

ROLLOVER DATA

If GV07 (Body Type) \neq 1-49, leave GV59-GV63 blank.
 If GV24 (Rollover) = 0, then GV59-GV63 must equal 0.
 If GV24 = 9, then GV59-GV63 must equal 9.

59. Rollover Initiation Type

- (0) No rollover
 (1) Trip-over
 (2) Flip-over
 (3) Turn-over
 (4) Climb-over
 (5) Fall-over
 (6) Bounce-over
 (7) Collision with another vehicle
 (8) Other rollover initiation type specify):
 (9) Unknown rollover initiation type

60. Location of Rollover Initiation

- (0) No rollover
 (1) On roadway
 (2) On shoulder—paved
 (3) On shoulder—unpaved
 (4) On roadside or divided trafficway median
 (9) Unknown

61. Rollover Initiation Object Contacted

62. Location on Vehicle Where Initial Principal Tripping Force Is Applied

- (0) No rollover
 (1) Wheels/tires
 (2) Side plane
 (3) End plane
 (4) Undercarriage
 (5) Other location on vehicle (specify):
 (8) Non-contact rollover forces (specify):
 (9) Unknown

63. Direction of Initial Roll

- (0) No rollover
 (1) Roll right - primarily about the longitudinal axis
 (2) Roll left - primarily about the longitudinal axis
 (5) End-over-end (i.e., primarily about the lateral axis)
 (9) Unknown roll direction

PRECRASH DATA

64. Pre-Event Movement (Prior to Recognition of Critical Event)

- (01) Going straight
 (02) Slowing or stopping in traffic lane
 (03) Starting in traffic lane
 (04) Stopped in traffic lane
 (05) Passing or overtaking another vehicle
 (06) Disabled or parked in travel lane
 (07) Leaving a parking position
 (08) Entering a parking position
 (09) Turning right
 (10) Turning left
 (11) Making a U-turn
 (12) Backing up (other than for parking position)
 (13) Negotiating a curve
 (14) Changing lanes
 (15) Merging
 (16) Successful avoidance maneuver to a previous critical event
 (97) Other (specify):
 (98) No driver present
 (99) Unknown

CODES FOR ROLLOVER INITIATION OBJECT CONTACTED

- (00) No rollover
- (01-30) — Vehicle Number

Noncollision

- (31) Turn-over — fall-over
- (33) Jackknife

Collision With Fixed Object

- (41) Tree (≤ 10 cm in diameter)
- (42) Tree (> 10 cm in diameter)
- (43) Shrubbery or bush
- (44) Embankment

- (45) Breakaway pole or post (any diameter)

Nonbreakaway Pole or Post

- (50) Pole or post (≤ 10 cm in diameter)
- (51) Pole or post (> 10 cm but ≤ 30 cm in diameter)
- (52) Pole or post (> 30 cm in diameter)
- (53) Pole or post (diameter unknown)

- (54) Concrete traffic barrier
- (55) Impact attenuator
- (56) Other traffic barrier (includes guardrail)
(specify): _____

- (57) Fence
- (58) Wall
- (59) Building
- (60) Ditch or culvert
- (61) Ground
- (62) Fire hydrant
- (63) Curb
- (64) Bridge
- (68) Other fixed object (specify): _____

- (69) Unknown fixed object

Collision with Nonfixed Object

- (71) Motor vehicle not in-transport
- (76) Animal
- (77) Train
- (78) Trailer, disconnected in transport
- (88) Other nonfixed object (specify): _____

- (89) Unknown nonfixed object

- (98) Other event (specify): _____

- (99) Unknown event or object

PRECRASH DATA (Continued)

65. Critical Precrash Event 15*This Vehicle Loss of Control Due To:*

- (01) Blow out or flat tire
- (02) Stalled engine
- (03) Disabling vehicle failure (e.g., wheel fell off) (specify): _____
- (04) Non-disabling vehicle problem (e.g., hood flew up) (specify): _____
- (05) Poor road conditions (puddle, pot hole, ice, etc.) (specify): _____
- (06) Traveling too fast for conditions
- (08) Other cause of control loss (specify): _____
- (09) Unknown cause of control loss

This Vehicle Traveling

- (10) Over the lane line on left side of travel lane
- (11) Over the lane line on right side of travel lane
- (12) Off the edge of the road on the left side
- (13) Off the edge of the road on the right side
- (14) End departure
- (15) Turning left at intersection
- (16) Turning right at intersection
- (17) Crossing over (passing through) intersection
- (19) Unknown travel direction

Other Motor Vehicle In Lane

- (50) Stopped
- (51) Traveling in same direction with lower speed (i.e., lower steady speed or decelerating)
- (52) Traveling in same direction with higher speed
- (53) Traveling in opposite direction
- (54) In crossover
- (55) Backing
- (59) Unknown travel direction of other motor vehicle in lane

Other Motor Vehicle Encroaching Into Lane

- (60) From adjacent lane (same direction)—over left lane line
- (61) From adjacent lane (same direction)—over right lane line
- (62) From opposite direction—over left lane line
- (63) From opposite direction—over right lane line
- (64) From parking lane
- (65) From crossing street, turning into same direction
- (66) From crossing street, across path
- (67) From crossing street, turning into opposite direction
- (68) From crossing street, intended path not known
- (70) From driveway, turning into same direction
- (71) From driveway, across path
- (72) From driveway, turning into opposite direction
- (73) From driveway, intended path not known
- (74) From entrance to limited access highway
- (78) Encroachment by other vehicle—details unknown

Pedestrian or Pedalcyclist, or Other Nonmotorist

- (80) Pedestrian in roadway
- (81) Pedestrian approaching roadway
- (82) Pedestrian - unknown location
- (83) Pedalcyclist or other nonmotorist in roadway (specify): _____
- (84) Pedalcyclist or other nonmotorist approaching roadway (specify): _____
- (85) Pedalcyclist or other nonmotorist—unknown location (specify): _____

Object or Animal

- (87) Animal in roadway
- (88) Animal approaching roadway
- (89) Animal—unknown location
- (90) Object in roadway
- (91) Object approaching roadway
- (92) Object—unknown location
- (98) Other critical precrash event (specify): _____
- (99) Unknown

For Corrective Actions Attempted see variable GV14
(Attempted Avoidance Manuever)

66. Precrash Stability After Avoidance Maneuver φ

- (0) No avoidance maneuver
- (1) Tracking
- (2) Skidding longitudinally—rotation less than 30 degrees
- (3) Skidding laterally—clockwise rotation
- (4) Skidding laterally—counterclockwise rotation
- (7) Other vehicle loss-of-control (specify): _____
- (8) No driver present
- (9) Precrash stability unknown

67. Precrash Directional Consequences of Avoidance Maneuver (Corrective Action) φ

- (0) No avoidance maneuver
- (1) Vehicle stayed in travel lane where avoidance maneuver was initiated
- (2) Vehicle stayed on roadway but left travel lane where avoidance maneuver was initiated
- (3) Vehicle stayed on roadway, not known if left travel lane where avoidance maneuver was initiated
- (4) Vehicle departed roadway
- (5) Avoidance maneuver initiated off roadway
- (8) No driver present
- (9) Directional consequences unknown

*** IF THE CDS APPLICABLE VEHICLE WAS NOT INSPECTED (I.E., GV35 = 0), ***
DO NOT COMPLETE THE EXTERIOR AND INTERIOR VEHICLE FORMS.

*** IF GV07 DOES NOT EQUAL 01-49, DO NOT COMPLETE ***
THE EXTERIOR VEHICLE, INTERIOR VEHICLE,
OCCUPANT ASSESSMENT, AND OCCUPANT INJURY FORMS.

EXTERIOR VEHICLE FORM

**NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM**

1. Primary Sampling Unit Number _____ 2. Case Number - Stratum <u>DSI-93-AB-010</u>		3. Vehicle Number <u>01</u>
--	--	-----------------------------

VEHICLE IDENTIFICATION

VIN J H 4 K A 7 6 5 4 M C x x x x x x Model Year 9 1
Vehicle Make (specify): ACURA Vehicle Model (specify): LEGEND L 4-DOOR

LOCATOR

Locate the end of the damage with respect to the vehicle longitudinal center line or bumper corner for end impacts or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L
Ø1	LEFT FRONT UNDERCARRIAGE	NOT MEASURED

CRUSH PROFILE IN CENTIMETERS

NOTES: Identify the plane at which the C-measurements are taken (e.g., at bumper, above bumper, at sill, above sill, etc.) and label adjustments (e.g., free space).

Measure and document on the vehicle diagram the location of maximum crush.

Measure C1 to C6 from driver to passenger side in front or rear impacts and rear to front in side impacts.

Free space value is defined as the distance between the baseline and the original body contour taken at the individual C locations. This may include the following: bumper lead, bumper taper, side protrusion, side taper, etc. Record the value for each C-measurement and maximum crush.

Use as many lines/columns as necessary to describe each damage profile.

[illegible]


ORIGINAL SPECIFICATIONS WORK SHEET

Wheelbase	<u>1</u> <u>1</u> <u>4</u> . <u>6</u>	inches	x 2.54	=	<u>2</u> <u>9</u> <u>1</u>	cm
Overall Length	<u>1</u> <u>9</u> <u>4</u> . <u>9</u>	inches	x 2.54	=	<u>4</u> <u>9</u> <u>5</u>	cm
Maximum Width	<u>φ</u> <u>7</u> <u>1</u> . <u>3</u>	inches	x 2.54	=	<u>1</u> <u>8</u> <u>1</u>	cm
Curb Weight	<u>φ</u> <u>3</u> , <u>4</u> <u>8</u> <u>6</u>	pounds	x .4536	=	<u>1</u> , <u>5</u> <u>8</u> <u>1</u>	kg
Average Track	<u>φ</u> <u>6</u> <u>φ</u> . <u>8</u>	inches	x 2.54	=	<u>1</u> <u>5</u> <u>4</u>	cm
Front Overhang	<u>φ</u> <u>3</u> <u>5</u> . <u>φ</u>	inches	x 2.54	=	<u>φ</u> <u>8</u> <u>9</u>	cm
Rear Overhang	<u>φ</u> <u>4</u> <u>5</u> . <u>3</u>	inches	x 2.54	=	<u>1</u> <u>1</u> <u>5</u>	cm
Undeformed End Width	<u>φ</u> <u>6</u> <u>1</u> . <u>5</u>	inches	x 2.54	=	<u>1</u> <u>5</u> <u>6</u>	cm
Engine Size: cyl./displ.	<u>3</u> <u>2</u> <u>φ</u> <u>φ</u>	cc	x .001	=	<u>3</u> . <u>2</u>	L
	<u>1</u> <u>9</u> <u>5</u>	CID	x .0164	=	<u>3</u> . <u>2</u>	L

VEHICLE DAMAGE SKETCH

TIRE—WHEEL DAMAGE a. Rotation physically restricted RF <u>2</u> LF <u>2</u> RR <u>2</u> LR <u>2</u> (1) Yes (2) No (8) NA (9) Unk.		ORIGINAL SPECIFICATIONS Wheelbase <u>291</u> cm Overall Length <u>495</u> cm Maximum Width <u>181</u> cm Curb Weight <u>1,581</u> kg Average Track <u>154</u> cm Front Overhang <u>89</u> cm Rear Overhang <u>115</u> cm Undeformed End Width <u>156</u> cm Engine Size: cyl./displ. <u>V6/3.2</u> L		WHEEL STEER ANGLES (For locked front wheels or displaced rear axles only) RF ± <u>—</u> ° LF ± <u>—</u> ° RR ± <u>—</u> ° LR ± <u>—</u> ° Within ± 5 degrees
TYPE OF TRANSMISSION <input type="checkbox"/> Manual <input checked="" type="checkbox"/> Automatic		DRIVE WHEELS <input checked="" type="checkbox"/> FWD <input type="checkbox"/> RWD <input type="checkbox"/> 4WD		
		Approximate Cargo Weight <u>ϕ</u> kg		

MEASUREMENTS IN CENTIMETERS



NOTES: Sketch new perimeter and cross hatch direct damage and single hatch induced damage on all views. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.). If pulling trailer, sketch type of trailer and damage received on the back of this page.

Annotate any damage caused by extrication such as component removal by torching, prying, or hydraulic shears.

COLLISION DEFORMATION CLASSIFICATION**HIGHEST DELTA "V"**

Accident Event Sequence Number	Object Contacted	(1) (2) Direction of Force	(3) Deformation Location	(4) Longitudinal or Lateral Location	(5) Vertical or Lateral Location	(6) Type of Damage Distribution	(7) Deformation Extent
4. <u>φ 1</u>	5. <u>6 B</u>	6. <u>φ φ</u>	7. <u>L</u>	8. <u>Y</u>	9. <u>L</u>	10. <u>N</u>	11. <u>φ 2</u>

Second Highest Delta "V"

12. _____	13. _____	14. _____	15. _____	16. _____	17. _____	18. _____	19. _____
-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

CRUSH PROFILE IN CENTIMETERS

The crush profile for the damage described in the CDC(s) above should be documented in the appropriate space below. (ALL MEASUREMENTS ARE IN CENTIMETERS.)

HIGHEST DELTA "V"

20. <u>L</u>	21. <u>C₁</u>	<u>C₂</u>	<u>C₃</u>	<u>C₄</u>	<u>C₅</u>	<u>C₆</u>	22. <u>±D</u>
<u>NOT MEASURED - CDC ONLY</u>							+ -

Second Highest Delta "V"

23. <u>L</u>	24. <u>C₁</u>	<u>C₂</u>	<u>C₃</u>	<u>C₄</u>	<u>C₅</u>	<u>C₆</u>	25. <u>±D</u>
_____							+ -

26. Are CDCs Documented but Not Coded on The Automated File?
(0) No
(1) Yes

φ

27. Researcher's Assessment of Vehicle Disposition
(0) Not towed due to vehicle damage
(1) Towed due to vehicle damage
(9) Unknown

φ

28. Original Wheelbase 291
Code to the nearest centimeter
(999) Unknown

114.6 inches X 2.54 = 291 centimeters

29. Is This A Multi-Stage Manufactured Vehicle
And/Or A Certified Altered Vehicle? φ

(0) No post manufacturer modifications

(1) Yes - post manufacturer modifications
(specify): _____

(Include photograph of CERTIFICATION
PLACARD in case report)

(9) Unknown if vehicle is modified

30. Fire Occurrence φ

(0) No fire

Yes, fire occurred

(1) Minor

(2) Major

(9) Unknown

31. Origin of Fire φ

(0) No fire

(1) Vehicle exterior (front, side, back, top)

(2) Exhaust system

(3) Fuel tank (and other fuel retention
system parts)

(4) Engine compartment

(5) Cargo/trunk compartment

(6) Instrument panel

(7) Passenger compartment area

(8) Other location (specify): _____

(9) Unknown

32. Type of Fuel Tank 1

(0) No fuel tank (electrical vehicle)

(1) Metallic

(2) Non-metallic

(9) Unknown

*** STOP: IF THE CDS APPLICABLE VEHICLE WAS NOT TOWED AND WAS NOT AN AOPS ***
(I.E., GV09=0 OR 9 AND GV36=0), DO NOT COMPLETE THE INTERIOR VEHICLE FORM.



INTERIOR VEHICLE FORM

1. Primary Sampling Unit Number

2. Case Number - Stratum DSI-93-AB-0103. Vehicle Number 01

INTEGRITY

4. Passenger Compartment Integrity

(00) No integrity loss

Yes, Integrity Was Lost Through

(01) Windshield

(02) Door (side)

(03) Door/hatch (back door)

(04) Roof

(05) Roof glass

(06) Side window

(07) Rear window (backlight)

(08) Roof and roof glass

(09) Windshield and door (side)

(10) Windshield and roof

(11) Side and rear window (side window and backlight)

(12) Windshield and side window

(13) Door and side window

(98) Other combination of above (specify):

(99) Unknown

Door, Tailgate or Hatch Opening

5. LF 1 6. RF 1 7. LR 1 8. RR 1 9. TG/H 0

(0) No door/gate/hatch

(1) Door/gate/hatch remained closed and operational

(2) Door/gate/hatch came open during collision

(3) Door/gate/hatch jammed shut

(8) Other (specify):

(9) Unknown

Damage/Failure Associated with Door, Tailgate or Hatch
Opening in Collision. If IV05-IV09 \neq 2, Then code 010. LF 0 11. RF 0 12. LR 0 13. RR 0 14. TG/H 0

(0) No door/gate/hatch or door not opened

Door, Tailgate or Hatch Came Open During Collision

(1) Door operational (no damage)

(2) Latch/striker failure due to damage

(3) Hinge failure due to damage

(4) Door structure failure due to damage

(5) Door support (i.e., pillar, sill, roof side rail,
etc.) failure due to damage

(6) Latch/striker and hinge failure due to damage

(8) Other failure (specify):

(9) Unknown

GLAZING

Glazing Damage from Impact Forces

15. WS 0 16. LF 0 17. RF 0 18. LR 0 19. RR 020. BL 0 21. Roof 0 22. Other 0

(0) No glazing damage from impact forces

(2) Glazing in place and cracked from impact forces

(3) Glazing in place and holed from impact forces

(4) Glazing out-of-place (cracked or not) and not holed from
impact forces

(5) Glazing out-of-place and holed from impact forces

(6) Glazing disintegrated from impact forces

(7) Glazing removed prior to accident

(8) No glazing

(9) Unknown if damaged

Glazing Damage from Occupant Contact

23. WS 0 24. LF 0 25. RF 0 26. LR 0 27. RR 028. BL 0 29. Roof 0 30. Other 0

(0) No occupant contact to glazing or no glazing

(1) Glazing contacted by occupant but no glazing damage

(2) Glazing in place and cracked by occupant contact

(3) Glazing in place and holed by occupant contact

(4) Glazing out-of-place (cracked or not) by occupant
contact and not holed by occupant contact(5) Glazing out-of-place by occupant contact and holed by
occupant contact

(6) Glazing disintegrated by occupant contact

(9) Unknown if contacted by occupant

If No Glazing Damage *And* No Occupant Contact or No
Glazing, Then Code IV31 Through IV46 As 0

Type of Window/Windshield Glazing

31. WS 0 32. LF 0 33. RF 0 34. LR 0 35. RR 036. BL 0 37. Roof 0 38. Other 0

(0) No glazing contact and no damage, or no glazing

(1) AS-1 — Laminated

(2) AS-2 — Tempered

(3) AS-3 — Tempered-tinted

(4) AS-14 — Glass/Plastic

(8) Other (specify):

(9) Unknown

Window Precrash Glazing Status

39. WS 0 40. LF 0 41. RF 0 42. LR 0 43. RR 044. BL 0 45. Roof 0 46. Other 0

(0) No glazing contact and no damage, or no glazing

(1) Fixed

(2) Closed

(3) Partially opened

(4) Fully opened

(9) Unknown

Note: Sketch intruded areas

Note: Sketch intruded areas

[illegible]

Document no more than the 15 most severe intrusions

OCCUPANT AREA INTRUSION

Note: If no intrusions, leave variables IV47-IV86 blank.

INTRUDING COMPONENT

Interior Components

- (01) Steering assembly
- (02) Instrument panel left
- (03) Instrument panel center
- (04) Instrument panel right
- (05) Toe pan
- (06) A (A1/A2)-pillar
- (07) B-pillar
- (08) C-pillar
- (09) D-pillar
- (10) Door panel (side)
- (12) Roof (or convertible top)
- (13) Roof side rail
- (14) Windshield
- (15) Windshield header
- (16) Window frame
- (17) Floor pan (includes sill)
- (18) Backlight header
- (19) Front seat back
- (20) Second seat back
- (21) Third seat back
- (22) Fourth seat back
- (23) Fifth seat back
- (24) Seat cushion
- (25) Back door/panel (e.g., tailgate)
- (26) Other interior component (specify):

- (27) Side panel - forward of the A (A2)-pillar
- (28) Side panel - rear of the A (A2)-pillar

Exterior Components

- (30) Hood
- (31) Outside surface of this vehicle (specify):
- (32) Other exterior object in the environment (specify):
- (33) Unknown exterior object
- (97) Catastrophic
- (98) Intrusion of unlisted component(s) (specify):
- (99) Unknown

MAGNITUDE OF INTRUSION

- (1) ≥ 3 centimeters but < 8 centimeters
- (2) ≥ 8 centimeters but < 15 centimeters
- (3) ≥ 15 centimeters but < 30 centimeters
- (4) ≥ 30 centimeters but < 46 centimeters
- (5) ≥ 46 centimeters but < 61 centimeters
- (6) ≥ 61 centimeters
- (7) Catastrophic
- (9) Unknown

DOMINANT CRUSH DIRECTION

- (1) Vertical
- (2) Longitudinal
- (3) Lateral
- (7) Catastrophic
- (9) Unknown

	Location of Intrusion	Intruding Component	Magnitude of Intrusion	Dominant Crush Direction
1st	47. _____	48. _____	49. _____	50. _____
2nd	51. _____	52. _____	53. _____	54. _____
3rd	55. _____	56. _____	57. _____	58. _____
4th	59. _____	60. _____	61. _____	62. _____
5th	63. _____	64. <u>(C)</u>	65. _____	66. _____
6th	67. _____	68. _____	69. _____	70. _____
7th	71. _____	72. _____	73. _____	74. _____
8th	75. _____	76. _____	77. _____	78. _____
9th	79. _____	80. _____	81. _____	82. _____
10th	83. _____	84. _____	85. _____	86. _____

LOCATION OF INTRUSION

- Front Seat
- (11) Left
 - (12) Middle
 - (13) Right

- Second Seat
- (21) Left
 - (22) Middle
 - (23) Right

- Third Seat
- (31) Left
 - (32) Middle
 - (33) Right

- Fourth Seat
- (41) Left
 - (42) Middle
 - (43) Right

- (97) Catastrophic
- (98) Other enclosed area (specify)

- (99) Unknown

STEERING RIM/SPOKE DEFORMATION

(All Measurements Are in Centimeters)

COMPARISON VALUE	-	DAMAGE VALUE	=	DEFORMATION
	-		=	
	-		=	
0	-	0	=	0
	-		=	
	-		=	

STEERING COLUMN87. Steering Column Type 3

- (1) Fixed column
 (2) Tilt column
 (3) Telescoping column
 (4) Tilt and telescoping column
 (8) Other column type (specify): _____
 (9) Unknown

88. Blank X X

(This variable is left blank so that numbering consistency can be maintained with the 1988-93 CDS.

89. Blank X X X

(This variable is left blank so that numbering consistency can be maintained with the 1988-93 CDS.

90. Blank X X X

(This variable is left blank so that numbering consistency can be maintained with the 1988-93 CDS.

91. Blank X X X

(This variable is left blank so that numbering consistency can be maintained with the 1988-93 CDS.

92. Steering Rim/Spoke Deformation φ φ

- Code actual measured deformation to the nearest centimeter
 (00) No steering rim deformation
 (01-14) Actual measured value in centimeters
 (15) 15 centimeters or more
 (98) Observed deformation cannot be measured
 (99) Unknown

93. Location of Steering Rim/Spoke Deformation φ φ


(00) No steering rim deformation

Quarter Sections

- (01) Section A
 (02) Section B
 (03) Section C
 (04) Section D

*Half Sections*

- (05) Upper half of rim/spoke
 (06) Lower half of rim/spoke
 (07) Left half of rim/spoke
 (08) Right half of rim/spoke



- (09) Complete steering wheel collapse
 (10) Undetermined location
 (99) Unknown

INSTRUMENT PANEL94. Odometer Reading φ 1 7,000

_____kilometers—Code to the nearest 1,000 kilometers

- (000) No odometer
 (001) Less than 1,500 kilometers
 (500) 499,500 kilometers or more
 (999) Unknown

φ 1 φ 551 miles X 1.6093 = φ 16.98 φ kilometers

Source: _____

95. Instrument Panel Damage from Occupant Contact? φ

- (0) No
 (1) Yes
 (9) Unknown

96. Knee Bolsters Deformed from Occupant Contact? 8


- (0) No
 (1) Yes
 (8) Not present
 (9) Unknown

97. Did Glove Compartment Door Open During Collision(s)? φ

- (0) No
 (1) Yes
 (8) Not present
 (9) Unknown

VEHICLE INTERIOR SKETCHES

Note area of ejection/entrapment



Sketch windshield contact(s) and the damaged area(s) on the instrument panel outline (e.g., radio, glove compartment, damage to instrument panel structure).

Cross hatch contact points, draw spider webs or use other annotation as may be appropriate.

Annotate the contacted area with a letter (begin with A) and list on the Points of Occupant Contact page.

POINTS OF OCCUPANT CONTACT

Contact	Interior Component Contacted	Occupant No. If Known	Body Region If Known	Supporting Physical Evidence	Confidence Level of Contact Point
A	45	01	FACE	AIR BAG DEPLOYED	1
B					
C					
D					
E					
F					
G					
H					
I					
J					
K					
L					
M					
N					

CODES FOR INTERIOR COMPONENTS

FRONT

- (01) Windshield
- (02) Mirror
- (03) Sunvisor
- (04) Steering wheel rim
- (05) Steering wheel hub/spoke
- (06) Steering wheel (combination of codes 04 and 05)
- (07) Steering column, transmission selector lever, other attachment
- (08) Add on equipment (e.g., CB, tape deck, air conditioner)
- (09) Left instrument panel and below
- (10) Center instrument panel and below
- (11) Right instrument panel and below
- (12) Glove compartment door
- (13) Knee bolster
- (14) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (15) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (16) Driver side air bag compartment cover
- (17) Passenger side air bag compartment cover
- (18) Windshield reinforced by exterior object (specify): _____
- (19) Other front object (specify): _____

LEFT SIDE

- (20) Left side interior surface, excluding hardware or armrests
- (21) Left side hardware or armrest
- (22) Left A (A1/A2)-pillar

- (23) Left B-pillar

- (24) Other left pillar (specify): _____

- (25) Left side window glass or frame
- (26) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (27) Other left side object (specify): _____

- (28) Left side window sill

RIGHT SIDE

- (30) Right side interior surface, excluding hardware or armrests
- (31) Right side hardware or armrest
- (32) Right A (A1/A2)-pillar
- (33) Right B-pillar
- (34) Other right pillar (specify): _____
- (35) Right side window glass or frame
- (36) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B pillar, or roof side rail.
- (37) Other right side object (specify): _____
- (38) Right side window sill

INTERIOR

- (40) Seat, back support
- (41) Belt restraint webbing/buckle
- (42) Belt restraint B-pillar attachment point
- (43) Other restraint system component (specify): _____
- (44) Head restraint system
- (45) Air bag (use codes "16" and "17" for injuries sustained from air bag compartment covers)

- (46) Other occupants (specify): _____

- (47) Interior loose objects

- (48) Child safety seat (specify): _____

- (49) Other interior object (specify): _____

ROOF

- (50) Front header
- (51) Rear header
- (52) Roof left side rail
- (53) Roof right side rail
- (54) Roof or convertible top

FLOOR

- (56) Floor (including toe pan)
- (57) Floor or console mounted transmission lever, including console
- (58) Parking brake handle
- (59) Foot controls including parking brake

REAR

- (60) Backlight (rear window)
- (61) Backlight storage rack, door, etc.
- (62) Other rear object (specify): _____

CONFIDENCE LEVEL OF CONTACT POINT

- (1) Certain
- (2) Probable
- (3) Possible
- (9) Unknown

AUTOMATIC RESTRAINTS

NOTES: Encode the data for each applicable front seat position. The attribute for the variables may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

AIR BAGS

		Left	Right
F I R S T	Availability/Function	/	φ
	Deployment	/	φ
	Failure	/	φ

Air Bag System Availability/Function

- (0) Not equipped/not available
(1) Air bag

Non-functional

- (2) Air bag disconnected (specify):

(3) Air bag not reinstalled
(9) Unknown

Air Bag System Deployment

- (0) Not equipped/not available
(1) Air bag deployed during accident (as a result of impact)
(2) Air bag deployed inadvertently just prior to accident
(3) Air bag deployed, accident sequence undetermined
(4) Nondeployed
(5) Unknown if deployed
(6) Air bag deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
(9) Unknown

Did Air Bag System Fail?

- (0) Not equipped/not available
(1) No
(2) Yes (specify):

(9) Unknown

AUTOMATIC BELTS

		Left	Right
F I R S T	Availability/Function	φ	φ
	Use	φ	φ
	Type	φ	φ
	Proper Use	φ	φ
	Failure Modes	φ	φ

Automatic (Passive) Belt System Availability/Function

- (0) Not equipped/not available
(1) 2 point automatic belts
(2) 3 point automatic belts
(3) Automatic belts - type unknown

Non-functional

- (4) Automatic belts destroyed or rendered inoperative
(9) Unknown

Automatic (Passive) Belt System Use

- (0) Not equipped/not available/destroyed or rendered inoperative
(1) Automatic belt in use
(2) Automatic belt not in use (manually disconnected, motorized track inoperative)
(3) Automatic belt use unknown
(9) Unknown

Automatic (Passive) Belt System Type

- (0) Not equipped/not available
(1) Non-motorized system
(2) Motorized system
(9) Unknown

Proper Use of Automatic (Passive) Belt System

- (0) Not equipped/not available/not used
(1) Automatic belt used properly
(2) Automatic belt used properly with child safety seat

Automatic Belt Used Improperly

- (3) Automatic shoulder belt worn under arm
(4) Automatic shoulder belt worn behind back
(5) Automatic belt worn around more than one person
(6) Lap portion of automatic belt worn on abdomen
(7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify):

(8) Other improper use of automatic belt system (specify):

(9) Unknown

Automatic (Passive) Belt Failure Modes During Accident

- (0) Not equipped/not available/not in use
(1) No automatic belt failure(s)
(2) Torn webbing (stretched webbing not included)
(3) Broken buckle or latchplate
(4) Upper anchorage separated
(5) Other anchorage separated (specify):

(6) Broken retractor
(7) Combination of above (specify):
(8) Other automatic belt failure (specify):

(9) Unknown

MANUAL RESTRAINTS

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

If a Child safety seat is present, encode the data on the back of this page.

If the vehicle has automatic restraints available, encode the appropriate data on the back of the previous page.

		Left	Center	Right
F I R S T	Availability	4	φ	4
	Use	φ4	φφ	φ4
	Failure Modes	1	φ	1
S E C O N D	Availability	4	3	4
	Use	φφ	φφ	φφ
	Failure Modes	φ	φ	φ
T H I R D	Availability			
	Use			
	Failure Modes			
O T H E R	Availability			
	Use			
	Failure Modes			

Manual (Active) Belt System Availability

- (0) None available
- (1) Belt removed/destroyed
- (2) Shoulder belt
- (3) Lap belt
- (4) Lap and shoulder belt
- (5) Belt available - type unknown

Integral Belt Partially Destroyed

- (6) Shoulder belt (lap belt destroyed/removed)
- (7) Lap belt (shoulder belt destroyed/removed)

(8) Other belt (specify): _____

(9) Unknown _____

Manual (Active) Belt System Use

- (00) None used, not available, or belt removed/destroyed
- (01) Inoperable (specify): _____
- (02) Shoulder belt
- (03) Lap belt
- (04) Lap and shoulder belt
- (05) Belt used - type unknown

(08) Other belt used (specify): _____

- (12) Shoulder belt used with child safety seat
- (13) Lap belt used with child safety seat
- (14) Lap and shoulder belt used with child safety seat
- (15) Belt used with child safety seat - type unknown
- (18) Other belt used with child safety seat (specify): _____
- (99) Unknown if belt used

Manual (Active) Belt Failure Modes During Accident

- (0) No manual belt used or not available
- (1) No manual belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify): _____
- (6) Broken retractor
- (7) Combination of above (specify): _____
- (8) Other manual belt failure (specify): _____
- (9) Unknown _____

CHILD SAFETY SEAT FIELD ASSESSMENT

When a child safety seat is present enter the occupant's number in the first row and complete the column below the occupant's number using the codes listed below. Complete a column for each child safety seat present.

Occupant Number						
1. Type of Child Safety Seat						
2. Child Safety Seat Orientation						
3. Child Safety Seat Harness Usage						
4. Child Safety Seat Shield Usage						
5. Child Safety Seat Tether Usage						
6. Child Safety Seat Make/Model	Specify Below for Each Child Safety Seat					

1. Type of Child Safety Seat

- (0) No child safety seat
- (1) Infant seat
- (2) Toddler seat
- (3) Convertible seat
- (4) Booster seat
- (7) Other type child safety seat (specify):

- (8) _____ Unknown child safety seat type
- (9) _____ Unknown if child safety seat used

2. Child Safety Seat Orientation

- (00) No child safety seat
- Designed for Rear Facing for This Age/Weight
- (01) Rear facing
- (02) Forward facing
- (08) Other orientation (specify):

- (09) _____ Unknown orientation

Designed for Forward Facing for This Age/Weight

- (11) Rear facing
- (12) Forward facing
- (18) Other orientation (specify):

- (19) _____ Unknown orientation

Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight

- (21) Rear facing
- (22) Forward facing
- (28) Other orientation (specify):

- (29) _____ Unknown orientation

- (99) Unknown if child safety seat used

3. Child Safety Seat Harness Usage

4. Child Safety Seat Shield Usage

- 5. Child Safety Seat Tether Usage
- Note: Options Below Are Used for Variables 3-5.
- (00) No child safety seat

Not Designed with Harness/Shield/Tether

- (01) After market harness/shield/tether added, not used
- (02) After market harness/shield/tether used
- (03) Child safety seat used, but no after market harness/shield/tether added
- (09) Unknown if harness/shield/tether added or used

Designed With Harness/Shield/Tether

- (11) Harness/shield/tether not used
- (12) Harness/shield/tether used
- (19) Unknown if harness/shield/tether used

Unknown If Designed With Harness/Shield/Tether

- (21) Harness/shield/tether not used
- (22) Harness/shield/tether used
- (29) Unknown if harness/shield/tether used

- (99) Unknown if child safety seat used

- 6. Child Safety Seat Make/Model
- (Specify make/model and occupant number)

HEAD RESTRAINTS/SEAT EVALUATION

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for these variables may be found at the bottom of the page. Head restraint type/damage and seat type/performance should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

		Left	Center	Right
FIRST	Head Restraint Type/Damage	3	φ	3
	Seat Type	φ1	φφ	φ1
	Seat Performance	1	φ	1
	Seat Orientation	1	φ	1
SECOND	Head Restraint Type/Damage	3	φ	3
	Seat Type	φ3	φ3	φ3
	Seat Performance	1	1	1
	Seat Orientation	1	1	1
THIRD	Head Restraint Type/Damage			
	Seat Type			
	Seat Performance			
	Seat Orientation			
OTHER	Head Restraint Type/Damage			
	Seat Type			
	Seat Performance			
	Seat Orientation			

Head Restraint Type/Damage by Occupant at This Occupant Position

- (0) No head restraints
- (1) Integral — no damage
- (2) Integral — damaged during accident
- (3) Adjustable — no damage
- (4) Adjustable — damaged during accident
- (5) Add-on — no damage
- (6) Add-on — damaged during accident
- (8) Other Specify: _____
- (9) Unknown _____

Seat Type (this Occupant Position)

- (00) Occupant not seated or no seat
- (01) Bucket
- (02) Bucket with folding back
- (03) Bench
- (04) Bench with separate back cushions
- (05) Bench with folding back(s)
- (06) Split bench with separate back cushions
- (07) Split bench with folding back(s)
- (08) Pedestal (i.e., column supported)
- (09) Other seat type (specify): _____
- (10) Box mounted seat (i.e., van type) _____
- (99) Unknown _____

Seat Performance (this Occupant Position)

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed specify: _____
- (4) Seat tracks/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion (specify): _____

(7) Combination of above (specify): _____

(8) Other (specify): _____

(9) Unknown _____

Seat Orientation (this Occupant Position)

- (0) Occupant not seated or no seat
- (1) Forward facing seat
- (2) Rear facing seat
- (3) Side facing seat (inward)
- (4) Side facing seat (outward)
- (8) Other (specify): _____

(9) Unknown _____

DESCRIBE ANY INDICATION OF ABNORMAL OCCUPANT POSTURE (I.E., UNUSUAL OCCUPANT CONTACT PATTERN)

EJECTION/ENTRAPMENT DATA

Complete the following if the researcher has any indication that an occupant was either ejected from or entrapped in the vehicle. Code the appropriate data on the Occupant Assessment Form.

EJECTION No [☒] Yes [☐]

Describe indications of ejection and body parts involved in partial ejection(s):

Occupant Number						
Ejection						
(Note on Vehicle Interior Sketch) Ejection Area						
Ejection Medium						
Medium Status						

Ejection

- (1) Complete ejection
- (2) Partial ejection
- (3) Ejection, Unknown degree
- (9) Unknown

Ejection Area

- (1) Windshield
- (2) Left front
- (3) Right front
- (4) Left rear
- (5) Right rear
- (6) Rear

(7) Roof

- (8) Other area (e.g., back of pickup, etc.) (specify):

(9) Unknown**Ejection Medium**

- (1) Door/hatch/tailgate
- (2) Nonfixed roof structure
- (3) Fixed glazing
- (4) Nonfixed glazing (specify):

(5) Integral structure

- (8) Other medium (specify):

(9) Unknown**Medium Status (Immediately Prior to Impact)**

- (1) Open
- (2) Closed
- (3) Integral structure
- (9) Unknown

ENTRAPMENT No [☒] Yes [☐]

Describe entrapment mechanism: _____

Component(s): _____

(Note in vehicle interior diagram)



OCCUPANT ASSESSMENT FORM

1. Primary Sampling Unit Number _____
2. Case Number - Stratum DSI-93-AB-010
3. Vehicle Number 01
4. Occupant Number 01

OCCUPANT'S CHARACTERISTICS

5. Occupant's Age 62
Code actual age at time of accident.
(00) Less than one year old (specify by month): _____
(97) 97 years and older _____
(99) Unknown _____
6. Occupant's Sex 2
(1) Male
(2) Female
(9) Unknown
7. Occupant's Height 163
Code actual height to the nearest centimeter.
(999) Unknown _____
64 inches X 2.54 = 163 centimeters
8. Occupant's Weight 059
Code actual weight to the nearest kilogram.
(999) Unknown _____
130 pounds X .4536 = 059 kilograms
9. Occupant's Role 1
(1) Driver
(2) Passenger
(9) Unknown

OCCUPANT'S SEATING

10. Occupant's Seat Position 11
Front Seat
(11) Left side
(12) Middle
(13) Right side
(14) Other (specify): _____
(15) On or in the lap of another occupant
- Second Seat*
(21) Left side
(22) Middle
(23) Right side
(24) Other (specify): _____
(25) On or in the lap of another occupant
- Third Seat*
(31) Left side
(32) Middle
(33) Right side
(34) Other (specify): _____
(35) On or in the lap of another occupant
- Fourth Seat*
(41) Left side
(42) Middle
(43) Right side
(44) Other (specify): _____
(45) On or in the lap of another occupant
- (97) In or on unenclosed area
(98) Other seat (specify): _____
(99) Unknown
11. Occupant's Posture 0
(0) Normal posture
- Abnormal posture*
(1) Kneeling or standing on seat
(2) Lying on or across seat
(3) Kneeling, standing or sitting in front of seat
(4) Sitting sideways or turned to talk with another occupant or to look out a rear window
(5) Sitting on a console
(6) Lying back in a reclined seat position
(7) Bracing with feet or hands on a surface in front of seat
(8) Other abnormal posture (specify): _____
(9) Unknown

EJECTION/ENTRAPMENT

12. Ejection φ

- (0) No ejection
- (1) Complete ejection
- (2) Partial ejection
- (3) Ejection, unknown degree
- (9) Unknown

13. Ejection Area φ

- (0) No ejection
- (1) Windshield
- (2) Left front
- (3) Right front
- (4) Left rear
- (5) Right rear
- (6) Rear
- (7) Roof
- (8) Other area (e.g., back of pickup, etc.)
(specify): _____
- (9) Unknown

14. Ejection Medium φ

- (0) No ejection
- (1) Door/hatch/tailgate
- (2) Nonfixed roof structure
- (3) Fixed glazing
- (4) Nonfixed glazing (specify): _____
- (5) Integral structure
- (8) Other medium (specify): _____
- (9) Unknown

15. Medium Status (Immediately Prior To Impact) φ

- (0) No ejection
- (1) Open
- (2) Closed
- (3) Integral structure
- (9) Unknown

16. Entrapment φ

(NOTE: Entrapped means that part of the person was in the vehicle and mechanically restrained; jammed doors and immobilizing injuries by themselves are not sufficient to constitute entrapment.)

- (0) Not entrapped
- (1) Entrapped
- (9) Unknown

RESTRAINT SYSTEM EVALUATION

17. Manual (Active) Belt System Availability 4

- (0) None available
- (1) Belt removed/destroyed
- (2) Shoulder belt
- (3) Lap belt
- (4) Lap and shoulder belt
- (5) Belt available—type unknown

Integral Belt Partially Destroyed

- (6) Shoulder belt (lap belt destroyed/removed)
- (7) Lap belt (shoulder belt destroyed/removed)

(8) Other belt (specify): _____

(9) Unknown

18. Manual (Active) Belt System Use 0 4

- (00) None used, not available, or belt removed/destroyed
- (01) Inoperative (specify): _____

(02) Shoulder belt

(03) Lap belt

(04) Lap and shoulder belt

(05) Belt used—type unknown

(08) Other belt used (specify): _____

(12) Shoulder belt used with child safety seat

(13) Lap belt used with child safety seat

(14) Lap and shoulder belt used with child safety seat

(15) Belt used with child safety seat—type unknown

(18) Other belt used with child safety seat (specify): _____

(99) Unknown if belt used

19. Proper Use of Manual (Active) Belts 1

- (0) None used or not available
- (1) Belt used properly
- (2) Belt used properly with child safety seat

Belt Used Improperly

(3) Shoulder belt worn under arm

(4) Shoulder belt worn behind back or seat

(5) Belt worn around more than one person

(6) Lap belt worn on abdomen

(7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____

(8) Other improper use of manual belt system (specify): _____

(9) Unknown

20. Manual (Active) Belt Failure Modes During Accident 1

(0) No manual belt used

(1) No manual belt failure(s)

(2) Torn webbing (stretched webbing not included)

(3) Broken buckle or latchplate

(4) Upper anchorage separated

(5) Other anchorage separated (specify): _____

(6) Broken retractor

(7) Combination of above (specify): _____

(8) Other manual belt failure (specify): _____

(9) Unknown

21. Air Bag System Availability/Function 1

- (0) Not equipped/not available
- (1) Air bag

Non-functional

(2) Air bag disconnected (specify): _____

(3) Air bag not reinstalled

(9) Unknown

22. Air Bag System Deployment 1

- (0) Not equipped/not available
- (1) Air bag deployed during accident (as a result of impact)
- (2) Air bag deployed inadvertently just prior to accident
- (3) Air bag deployed, accident sequence undetermined
- (4) Nondeployed
- (5) Unknown if deployed
- (6) Air bag deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
- (9) Unknown

23. Are There Indications of Air Bag System Failure? 1

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify): _____

(9) Unknown

Note: See Variables 44 through 48 (Page 5) for Information on Automatic Belts

24. Police Reported Restraint Use 9

- (0) None used
- (1) Police did not indicate restraint use
- (2) Shoulder belt
- (3) Lap belt
- (4) Lap and shoulder belt
- (5) Belt used, type not specified
- (6) Child safety seat
- (7) Other or automatic restraint (specify): _____

(8) Restrained, type unknown

(9) Police indicated "unknown"

HEAD RESTRAINT AND SEAT EVALUATION

25. Head Restraint Type/Damage by Occupant
at This Occupant Position3

- (0) No head restraints
- (1) Integral—no damage
- (2) Integral—damaged during accident
- (3) Adjustable—no damage
- (4) Adjustable—damaged during accident
- (5) Add-on—no damage
- (6) Add-on—damaged during accident
- (8) Other (specify):

(9) Unknown

26. Seat Type (this Occupant Position)

01

- (00) Occupant not seated or no seat
- (01) Bucket
- (02) Bucket with folding back
- (03) Bench
- (04) Bench with separate back cushions
- (05) Bench with folding back(s)
- (06) Split bench with separate back cushions
- (07) Split bench with folding back(s)
- (08) Pedestal (i.e., column supported)
- (09) Other seat type (specify):

(10) Box mounted seat (i.e., van type)

(99) Unknown

27. Seat Performance (this Occupant Position)

1

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed
- (4) Seat track/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion
(specify):

(7) Combination of above (specify):
_____(8) Other (specify):

(9) Unknown

CHILD SAFETY SEAT

28. Child Safety Seat Make/Model ϕ ϕ ϕ
 (000) No child safety seat
 Applicable codes are found in your NASS CDS
 Data Collection, Coding and Editing
 (950) Built-in child safety seat
 (997) Other make/model (specify):

(998) Unknown make/model
 (999) Unknown if child safety seat used

29. Type of Child Safety Seat ϕ
 (0) No child safety seat
 (1) Infant seat
 (2) Toddler seat
 (3) Convertible seat
 (4) Booster seat
 (7) Other type child safety seat (specify):

(8) Unknown child safety seat type
 (9) Unknown if child safety seat used

30. Child Safety Seat Orientation ϕ ϕ
 (00) No child safety seat

Designed for Rear Facing for This Age/Weight

(01) Rear facing
 (02) Forward facing
 (08) Other orientation (specify):

(09) Unknown orientation

Designed For Forward Facing for This Age/Weight

(11) Rear facing
 (12) Forward facing
 (18) Other orientation (specify):

(19) Unknown orientation

Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight

(21) Rear facing
 (22) Forward facing
 (28) Other orientation (specify):

(29) Unknown orientation

(99) Unknown if child safety seat used

31. Child Safety Seat Harness Usage ϕ ϕ

32. Child Safety Seat Shield Usage ϕ ϕ

33. Child Safety Seat Tether Usage ϕ ϕ

Note: Options below applicable to
 Variables OA31-OA33.

(00) No child safety seat

Not Designed With Harness/Shield/Tether

(01) After market harness/shield/tether
 added, not used
 (02) After market harness/shield/tether used
 (03) Child safety seat used, but no after market
 harness/shield/tether added
 (09) Unknown if harness/shield/tether
 added or used

Designed With Harness/Shield/Tether

(11) Harness/shield/tether not used
 (12) Harness/shield/tether used
 (19) Unknown if harness/shield/tether used

Unknown If Designed With Harness/Shield/Tether

(21) Harness/shield/tether not used
 (22) Harness/shield/tether used
 (29) Unknown if harness/shield/tether used

(99) Unknown if child safety seat used

INJURY CONSEQUENCES

34. Injury Severity (Police Rating)

9

- (0) O - No injury
- (1) C - Possible injury
- (2) B - Nonincapacitating injury
- (3) A - Incapacitating injury
- (4) K - Killed
- (5) U - Injury, severity unknown
- (6) Died prior to accident
- (9) Unknown

35. Treatment - Mortality

6

- (0) No treatment
- (1) Fatal
- (2) Fatal - ruled disease (specify):

Nonfatal

- (3) Hospitalization
- (4) Transported and released
- (5) Treatment at scene - nontransported
- (6) Treatment later
- (8) Treatment - other (specify):
- (9) Unknown

36. Type Of Medical Facility (for Initial Treatment) 4

- (0) Not treated at a medical facility
- (1) Trauma center
- (2) Hospital
- (3) Medical clinic
- (4) Physician's office
- (5) Treatment later at medical facility
- (8) Other (specify):
- (9) Unknown

37. Hospital Stay

φ φ

- (00) Not Hospitalized
- Code the number of days (up through 60) that the occupant stayed in hospital.
- (61) 61 days or more
- (99) Unknown

99. Case Occupant

1

- (0) Not the Case Occupant
- (1) This is the Case Occupant
- (2) This is the Case Occupant in another case.

38. Working Days Lost

φ φ

- Code the number of days (up through 60) that the occupant lost from work due to the accident
- (00) No working days lost
- (61) 61 days or more
- (62) Fatally injured
- (97) Not working prior to accident
- (99) Unknown

STOP - GO TO VARIABLE 44 ON PAGE 7**VARIABLES 39 THROUGH 43 ARE COMPLETED BY THE ZONE CENTER**

39. Time to Death

φ φ

- Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60)
- (00) Not fatal
- (96) Fatal - ruled disease
- (99) Unknown

40. 1st Medically Reported Cause of Death φ φ41. 2nd Medically Reported Cause of Death φ φ42. 3rd Medically Reported Cause of Death φ φ

- Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death
- (00) Not fatal or no additional causes
- (96) Mode of death given but specific injuries are not linked to cause of death. (specify):

(97) Other result (includes fatal ruled disease) (specify):

(99) Unknown

43. Number of Recorded Injuries for This Occupant

φ 1

- Code the actual number of injuries recorded for this occupant.
- (00) No recorded injuries
- (97) Injured, details unknown
- (99) Unknown if injured

AUTOMATIC BELT SYSTEM44. Automatic (Passive) Belt System Availability/Function φ

- (0) Not equipped/not available
- (1) 2 point automatic belts
- (2) 3 point automatic belts
- (3) Automatic belts - type unknown

Non-functional

- (4) Automatic belts destroyed or rendered inoperative
- (9) Unknown

45. Automatic (Passive) Belt System Use φ

- (0) Not equipped/not available/destroyed or rendered inoperative
- (1) Automatic belt in use
- (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): _____
- (3) Automatic belt use unknown
- (9) Unknown

46. Automatic (Passive) Belt System Type φ

- (0) Not equipped/not available
- (1) Non-motorized system
- (2) Motorized system
- (9) Unknown

47. Proper Use of Automatic (Passive) Belt System φ

- (0) Not equipped/not available/not used
- (1) Automatic belt used properly
- (2) Automatic belt used properly with child safety seat

Automatic Belt Used Improperly

- (3) Automatic shoulder belt worn under arm
- (4) Automatic shoulder belt worn behind back
- (5) Automatic belt worn around more than one person
- (6) Lap portion of automatic belt worn on abdomen
- (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): _____
- (8) Other improper use of automatic belt system (specify): _____
- (9) Unknown

48. Automatic (Passive) Belt Failure Modes During Accident φ

- (0) Not equipped/not available/not in use
- (1) No automatic belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify): _____
- (6) Broken retractor
- (7) Combination of above (specify): _____
- (8) Other automatic belt failure (specify): _____
- (9) Unknown

49. Seat Orientation (this Occupant Position) 1

- (0) Occupant not seated or no seat
- (1) Forward facing seat
- (2) Rear facing seat
- (3) Side facing seat (inward)
- (4) Side facing seat (outward)
- (8) Other (specify): _____
- (9) Unknown

STOP - VARIABLES 50 THROUGH 52 ARE COMPLETED BY THE ZONE CENTER**TRAUMA DATA**50. Glasgow Coma Scale (GCS) Score φ 1
(at Medical Facility)

- (00) Not injured
- (01) Injured - not treated at medical facility
- (02) No GCS Score at medical facility
- (03-15) Code the actual value of the initial GCS Score recorded at medical facility.
- (97) Injured, details unknown
- (99) Unknown if injured

51. Was the Occupant Given Blood? 1

- (1) No - blood not given
- (2) Yes - blood given (specify units): _____
- (9) Unknown if blood given

52. Arterial Blood Gases (ABG) - HCO₃ φ 1

- (00) Not injured
- (01) Injured, ABGs not measured or reported
- (02-50) Code the actual value of the HCO₃
- (96) ABGs reported, HCO₃ unknown
- (97) Injured, details unknown
- (99) Unknown if injured

ARE ALL APPLICABLE MEDICAL RECORDS INCLUDED WITH INITIAL SUBMISSION?

NO [X] YES []

UPDATE CANDIDATE?

NO [X] YES []



U.S. Department of Transportation
National Highway Traffic Safety
Administration

OCCUPANT INJURY FORM

Form Approved
O.M.B. No. 2127-0021
NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

1. Primary Sampling Unit Number	3. Vehicle Number
2. Case Number - Stratum <u>DSI-93-AB-010</u>	4. Occupant Number

INJURY DATA

Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

Source of Injury Data	O.I.C.-A.I.S						Injury Source	Injury Source Confidence Level	Direct/Indirect Injury	Occupant Area Intrusion Number			
	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect							
1st	5. <u>7</u>	6. <u>2</u>	7. <u>9</u>	8. <u>02</u>	9. <u>02</u>	10. <u>1</u>	11. <u>0</u>	12. <u>45</u>	13. <u>1</u>	14. <u>1</u>	15. <u>00</u>	ICD-9 <u>910.0</u>	
2nd	16. ____	17. ____	18. ____	19. ____	20. ____	21. ____	22. ____	23. ____	24. ____	25. ____	26. ____		
3rd	27. ____	28. ____	29. ____	30. ____	31. ____	32. ____	33. ____	34. ____	35. ____	36. ____	37. ____		
4th	38. ____	39. ____	40. ____	41. ____	42. ____	43. ____	44. ____	45. ____	46. ____	47. ____	48. ____		
5th	49. ____	50. ____	51. ____	52. ____	53. ____	54. ____	55. ____	56. ____	57. ____	58. ____	59. ____		
6th	60. ____	61. ____	62. ____	63. ____	64. ____	65. ____	66. ____	67. ____	68. ____	69. ____	70. ____		
7th	71. ____	72. ____	73. ____	74. ____	75. ____	76. ____	77. ____	78. ____	79. ____	80. ____	81. ____		
8th	82. ____	83. ____	84. ____	85. ____	86. ____	87. ____	88. ____	89. ____	90. ____	91. ____	92. ____		
9th	93. ____	94. ____	95. ____	96. ____	97. ____	98. ____	99. ____	100. ____	101. ____	102. ____	103. ____		
10th	104. ____	105. ____	106. ____	107. ____	108. ____	109. ____	110. ____	111. ____	112. ____	113. ____	114. ____		

HS Form 433B (1/93)

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.

OCCUPANT INJURY DATA



Source of Injury Date	Body Region	O.I.C.-A.I.S.					Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Occupant Area Intrusion Number
		Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect				
11th	---	---	---	---	---	---	---	---	---	---
12th	---	---	---	---	---	---	---	---	---	---
13th	---	---	---	---	---	---	---	---	---	---
14th	---	---	---	---	---	---	---	---	---	---
15th	---	---	---	---	---	---	---	---	---	---
16th	---	---	---	---	---	---	---	---	---	---
17th	---	---	---	---	---	---	---	---	---	---
18th	---	---	---	---	---	---	---	---	---	---
19th	---	---	---	---	---	---	---	---	---	---
20th	---	---	---	---	---	---	---	---	---	---
21st	---	---	---	---	---	---	---	---	---	---
22nd	---	---	---	---	---	---	---	---	---	---
23rd	---	---	---	---	---	---	---	---	---	---
24th	---	---	---	---	---	---	---	---	---	---
25th	---	---	---	---	---	---	---	---	---	---

ICD-9

OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

BEST AVAILABLE COPY

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



SOURCE OF INJURY DATA

OFFICIAL

- (1) Autopsy records with or without hospital/medical records
- (2) Hospital/medical records other than emergency room (e.g., discharge summary)
- (3) Emergency room records only (including associated X-rays or other lab reports)
- (4) Private physician, walk-in or emergency clinic

UNOFFICIAL

- (5) Lay coroner report
- (6) E.M.S. personnel
- (7) Interviewee
- (8) Other source (specify): _____

- (9) Police

INJURY SOURCE

FRONT

- (01) V:indshield
- (02) Mirror
- (03) Sunvisor
- (04) Steering wheel rim
- (05) Steering wheel hub/spoke
- (06) Steering wheel (combination of codes 04 and 05)
- (07) Steering column, transmission selector lever, other attachment
- (08) Add on equipment (e.g., CB, tape deck, air conditioner)
- (09) Left instrument panel and below
- (10) Center instrument panel and below
- (11) Right instrument panel and below
- (12) Glove compartment door
- (13) Knee bolster
- (14) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (15) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (16) Driver side air bag compartment cover
- (17) Passenger side air bag compartment cover
- (18) Windshield reinforced by exterior object (specify): _____
- (19) Other front object (specify): _____

LEFT SIDE

- (20) Left side interior surface, excluding hardware or armrests
- (21) Left side hardware or armrest
- (22) Left A (A1/A2)-pillar
- (23) Left B-pillar
- (24) Other left pillar (specify): _____

- (25) Left side window glass or frame
- (26) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (27) Other left side object (specify): _____

- (28) Left side window sill

RIGHT SIDE

- (30) Right side interior surface, excluding hardware or armrests
- (31) Right side hardware or armrest
- (32) Right A (A1/A2)-pillar
- (33) Right B-pillar
- (34) Other right pillar (specify): _____

- (35) Right side window glass or frame
- (36) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (37) Other right side object (specify): _____

- (38) Right side window sill

INTERIOR

- (40) Seat, back support
- (41) Belt restraint webbing/buckle
- (42) Belt restraint B-pillar or door frame attachment point
- (43) Other restraint system component (specify): _____
- (44) Head restraint system
- (45) Air bag (use codes "16" and "17" for injuries sustained from air bag compartment covers)
- (46) Other occupants (specify): _____
- (47) Interior loose objects
- (48) Child safety seat (specify): _____
- (49) Other interior object (specify): _____

ROOF

- (50) Front header
- (51) Rear header
- (52) Roof left side rail
- (53) Roof right side rail
- (54) Roof or convertible top

FLOOR

- (56) Floor (including toe pan)
- (57) Floor or console mounted transmission lever, including console
- (58) Parking brake handle
- (59) Foot controls including parking brake

REAR

- (60) Backlight (rear window)

- (61) Backlight storage rack, door, etc.
- (62) Other rear object (specify): _____

EXTERIOR of OCCUPANT'S VEHICLE

- (65) Hood
- (66) Outside hardware (e.g., outside mirror, antenna)
- (67) Other exterior surface or tires (specify): _____
- (68) Unknown exterior objects

EXTERIOR OF OTHER MOTOR VEHICLE

- (70) Front bumper
- (71) Hood edge
- (72) Other front of vehicle (specify): _____

- (73) Hood
- (74) Hood ornament
- (75) Windshield, roof rail, A-pillar
- (76) Side surface
- (77) Side mirrors
- (78) Other side protrusions (specify): _____

- (79) Rear surface
- (80) Undercarriage
- (81) Tires and wheels
- (82) Other exterior of other motor vehicle (specify): _____

- (83) Unknown exterior of other motor vehicle

OTHER VEHICLE OR OBJECT IN THE ENVIRONMENT

- (84) Ground
- (85) Other vehicle or object (specify): _____
- (86) Unknown vehicle or object

NONCONTACT INJURY

- (90) Fire in vehicle
- (91) Flying glass
- (92) Other noncontact injury source (specify): _____
- (93) Air bag exhaust gases
- (97) Injured, unknown source

INJURY SOURCE CONFIDENCE LEVEL

- (1) Certain
- (2) Probable
- (3) Possible
- (9) Unknown

DIRECT/INDIRECT INJURY

- (1) Direct contact injury
- (2) Indirect contact injury
- (3) Noncontact injury
- (7) Injured, unknown source

OCCUPANT INJURY CLASSIFICATION

Body Region

- (1) Head
- (2) Face
- (3) Neck
- (4) Thorax
- (5) Abdomen
- (6) Spine
- (7) Upper Extremity
- (8) Lower Extremity
- (9) Unspecified

Type of Anatomic Structure

- (1) Whole Area
- (2) Vessels
- (3) Nerves
- (4) Organs (includes muscles/ligaments)
- (5) Skeletal (includes joints)
- (6) Head - LOC
- (9) Skin

Specific Anatomic Structure

- Whole Area
- (02) Skin - Abrasion
 - (04) Skin - Contusion
 - (06) Skin - Laceration
 - (08) Skin - Avulsion
 - (10) Amputation
 - (20) Burn
 - (30) Crush
 - (40) Degloving
 - (50) Injury - NFS
 - (90) Trauma, other than mechanical

Head - LOC

- (02) Length of LOC
- (04, 06, 08) Level of Consciousness
- (10) Concussion

Spine

- (02) Cervical
- (04) Thoracic
- (06) Lumbar

Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02

Level of Injury

Specific injuries are assigned consecutive two-digit numbers beginning with 02.

To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity.

Abbreviated Injury Scale

- (1) Minor injury
- (2) Moderate injury
- (3) Serious injury
- (4) Severe injury
- (5) Critical injury
- (6) Maximum (untreatable)
- (7) Injured, unknown severity

Aspect

- (1) Right
- (2) Left
- (3) Bilateral
- (4) Central
- (5) Anterior
- (6) Posterior
- (7) Superior
- (8) Inferior
- (9) Unknown
- (0) Whole region

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

☐ No

☒ Yes

Blood Alcohol
Level (mg/dl)

BAL = N/A

Glasgow Coma
Scale Score

GCSS = N/A

Units of Blood
Given

Units = 0

Arterial Blood
Gases



pH = 7.35

PO₂ = 100

PCO₂ = 40



HCO₃ = 24

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





OCCUPANT ASSESSMENT FORM

1. Primary Sampling Unit Number _____
2. Case Number - Stratum DSE-93-AB-010
3. Vehicle Number 01
4. Occupant Number 02

OCCUPANT'S CHARACTERISTICS

5. Occupant's Age 76
Code actual age at time of accident.
(00) Less than one year old (specify by month): _____
(97) 97 years and older _____
(99) Unknown _____
6. Occupant's Sex 1
(1) Male
(2) Female
(9) Unknown
7. Occupant's Height 180
Code actual height to the nearest centimeter.
(999) Unknown _____
71 inches X 2.54 = 180 centimeters
8. Occupant's Weight 079
Code actual weight to the nearest kilogram.
(999) Unknown _____
175 pounds X .4536 = 079 kilograms
9. Occupant's Role 2
(1) Driver
(2) Passenger
(9) Unknown

OCCUPANT'S SEATING

10. Occupant's Seat Position 13
Front Seat
(11) Left side
(12) Middle
(13) Right side
(14) Other (specify): _____
(15) On or in the lap of another occupant
- Second Seat*
(21) Left side
(22) Middle
(23) Right side
(24) Other (specify): _____
(25) On or in the lap of another occupant
- Third Seat*
(31) Left side
(32) Middle
(33) Right side
(34) Other (specify): _____
(35) On or in the lap of another occupant
- Fourth Seat*
(41) Left side
(42) Middle
(43) Right side
(44) Other (specify): _____
(45) On or in the lap of another occupant
- (97) In or on unenclosed area
(98) Other seat (specify): _____
(99) Unknown
11. Occupant's Posture 0
(0) Normal posture
- Abnormal posture*
(1) Kneeling or standing on seat
(2) Lying on or across seat
(3) Kneeling, standing or sitting in front of seat
(4) Sitting sideways or turned to talk with another occupant or to look out a rear window
(5) Sitting on a console
(6) Lying back in a reclined seat position
(7) Bracing with feet or hands on a surface in front of seat
(8) Other abnormal posture (specify): _____
(9) Unknown

EJECTION/ENTRAPMENT**12. Ejection**

- (0) No ejection
- (1) Complete ejection
- (2) Partial ejection
- (3) Ejection, unknown degree
- (9) Unknown

φ**13. Ejection Area**

- (0) No ejection
- (1) Windshield
- (2) Left front
- (3) Right front
- (4) Left rear
- (5) Right rear
- (6) Rear
- (7) Roof
- (8) Other area (e.g., back of pickup, etc.)
(specify): _____
- (9) Unknown

φ**14. Ejection Medium**

- (0) No ejection
- (1) Door/hatch/tailgate
- (2) Nonfixed roof structure
- (3) Fixed glazing
- (4) Nonfixed glazing (specify): _____
- (5) Integral structure
- (8) Other medium (specify): _____
- (9) Unknown

φ**15. Medium Status (Immediately Prior To Impact)** φ

- (0) No ejection
- (1) Open
- (2) Closed
- (3) Integral structure
- (9) Unknown

16. Entrapment

(NOTE: Entrapped means that part of the person was in the vehicle and mechanically restrained; jammed doors and immobilizing injuries by themselves are not sufficient to constitute entrapment.)

- (0) Not entrapped
- (1) Entrapped
- (9) Unknown

φ

RESTRAINT SYSTEM EVALUATION

17. Manual (Active) Belt System Availability 4

- (0) None available
- (1) Belt removed/destroyed
- (2) Shoulder belt
- (3) Lap belt
- (4) Lap and shoulder belt
- (5) Belt available—type unknown

Integral Belt Partially Destroyed

- (6) Shoulder belt (lap belt destroyed/removed)
- (7) Lap belt (shoulder belt destroyed/removed)

(8) Other belt (specify): _____

(9) Unknown

18. Manual (Active) Belt System Use 4

- (00) None used, not available, or belt removed/destroyed
- (01) Inoperative (specify): _____

(02) Shoulder belt

(03) Lap belt

(04) Lap and shoulder belt

(05) Belt used—type unknown

(08) Other belt used (specify): _____

(12) Shoulder belt used with child safety seat

(13) Lap belt used with child safety seat

(14) Lap and shoulder belt used with child safety seat

(15) Belt used with child safety seat—type unknown

(18) Other belt used with child safety seat (specify): _____

(99) Unknown if belt used

19. Proper Use of Manual (Active) Belts 1

- (0) None used or not available
- (1) Belt used properly
- (2) Belt used properly with child safety seat

Belt Used Improperly

(3) Shoulder belt worn under arm

(4) Shoulder belt worn behind back or seat

(5) Belt worn around more than one person

(6) Lap belt worn on abdomen

(7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____

(8) Other improper use of manual belt system (specify): _____

(9) Unknown

20. Manual (Active) Belt Failure Modes During Accident 1

- (0) No manual belt used
- (1) No manual belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify): _____

(6) Broken retractor

(7) Combination of above (specify): _____

(8) Other manual belt failure (specify): _____

(9) Unknown

21. Air Bag System Availability/Function φ

- (0) Not equipped/not available
- (1) Air bag

Non-functional

(2) Air bag disconnected (specify): _____

(3) Air bag not reinstalled

(9) Unknown

22. Air Bag System Deployment φ

- (0) Not equipped/not available
- (1) Air bag deployed during accident (as a result of impact)
- (2) Air bag deployed inadvertently just prior to accident
- (3) Air bag deployed, accident sequence undetermined
- (4) Nondeployed
- (5) Unknown if deployed
- (6) Air bag deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
- (9) Unknown

23. Are There Indications of Air Bag System Failure? φ

(0) Not equipped/not available

(1) No

(2) Yes (specify): _____

(9) Unknown

Note: See Variables 44 through 48 (Page 5) for Information on Automatic Belts

24. Police Reported Restraint Use 9

- (0) None used
- (1) Police did not indicate restraint use
- (2) Shoulder belt
- (3) Lap belt
- (4) Lap and shoulder belt
- (5) Belt used, type not specified
- (6) Child safety seat
- (7) Other or automatic restraint (specify): _____
- (8) Restrained, type unknown
- (9) Police indicated "unknown"

HEAD RESTRAINT AND SEAT EVALUATION

25. Head Restraint Type/Damage by Occupant
at This Occupant Position3

- (0) No head restraints
- (1) Integral—no damage
- (2) Integral—damaged during accident
- (3) Adjustable—no damage
- (4) Adjustable—damaged during accident
- (5) Add-on—no damage
- (6) Add-on—damaged during accident
- (8) Other (specify): _____
- (9) Unknown

26. Seat Type (this Occupant Position)

01

- (00) Occupant not seated or no seat
- (01) Bucket
- (02) Bucket with folding back
- (03) Bench
- (04) Bench with separate back cushions
- (05) Bench with folding back(s)
- (06) Split bench with separate back cushions
- (07) Split bench with folding back(s)
- (08) Pedestal (i.e., column supported)
- (09) Other seat type (specify): _____
- (10) Box mounted seat (i.e., van type)
- (99) Unknown

27. Seat Performance (this Occupant Position)

1

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed
- (4) Seat track/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion (specify): _____
- (7) Combination of above (specify): _____
- (8) Other (specify): _____
- (9) Unknown

CHILD SAFETY SEAT

28. Child Safety Seat Make/Model ϕ ϕ ϕ

(000) No child safety seat

Applicable codes are found in your NASS CDS
Data Collection, Coding and Editing

(950) Built-in child safety seat

(997) Other make/model (specify):

(998) Unknown make/model

(999) Unknown if child safety seat used

29. Type of Child Safety Seat ϕ

(0) No child safety seat

(1) Infant seat

(2) Toddler seat

(3) Convertible seat

(4) Booster seat

(7) Other type child safety seat (specify):

(8) Unknown child safety seat type

(9) Unknown if child safety seat used

30. Child Safety Seat Orientation ϕ ϕ

(00) No child safety seat

Designed for Rear Facing for This Age/Weight

(01) Rear facing

(02) Forward facing

(08) Other orientation (specify):

(09) Unknown orientation*Designed For Forward Facing for This Age/Weight*

(11) Rear facing

(12) Forward facing

(18) Other orientation (specify):

(19) Unknown orientation*Unknown Design or Orientation For This
Age/Weight, or Unknown Age/Weight*

(21) Rear facing

(22) Forward facing

(28) Other orientation (specify):

(29) Unknown orientation

(99) Unknown if child safety seat used

31. Child Safety Seat Harness Usage ϕ ϕ32. Child Safety Seat Shield Usage ϕ ϕ33. Child Safety Seat Tether Usage ϕ ϕNote: Options below applicable to
Variables OA31-OA33.

(00) No child safety seat

Not Designed With Harness/Shield/Tether(01) After market harness/shield/tether
added, not used

(02) After market harness/shield/tether used

(03) Child safety seat used, but no after market
harness/shield/tether added(09) Unknown if harness/shield/tether
added or used*Designed With Harness/Shield/Tether*

(11) Harness/shield/tether not used

(12) Harness/shield/tether used

(19) Unknown if harness/shield/tether used

Unknown If Designed With Harness/Shield/Tether

(21) Harness/shield/tether not used

(22) Harness/shield/tether used

(29) Unknown if harness/shield/tether used

(99) Unknown if child safety seat used

INJURY CONSEQUENCES

34. Injury Severity (Police Rating)

9

- (0) O - No injury
- (1) C - Possible injury
- (2) B - Nonincapacitating injury
- (3) A - Incapacitating injury
- (4) K - Killed
- (5) U - Injury, severity unknown
- (6) Died prior to accident
- (9) Unknown

35. Treatment - Mortality

φ

- (0) No treatment
- (1) Fatal
- (2) Fatal - ruled disease (specify):

Nonfatal

- (3) Hospitalization
- (4) Transported and released
- (5) Treatment at scene - nontransported
- (6) Treatment later
- (8) Treatment - other (specify):

- (9) Unknown

36. Type Of Medical Facility (for Initial Treatment)

φ

- (0) Not treated at a medical facility
- (1) Trauma center
- (2) Hospital
- (3) Medical clinic
- (4) Physician's office
- (5) Treatment later at medical facility
- (8) Other (specify):

- (9) Unknown

37. Hospital Stay

φ φ

- (00) Not Hospitalized
- _____ Code the number of days (up through 60) that the occupant stayed in hospital.
- (61) 61 days or more
- (99) Unknown

99. Case Occupant

φ

- (0) Not the Case Occupant
- (1) This is the Case Occupant
- (2) This is the Case Occupant in another case.

38. Working Days Lost

φ φ

- _____ Code the number of days (up through 60) that the occupant lost from work due to the accident
- (00) No working days lost
- (61) 61 days or more
- (62) Fatally injured
- (97) Not working prior to accident
- (99) Unknown

STOP - GO TO VARIABLE 44 ON PAGE 7**VARIABLES 39 THROUGH 43 ARE COMPLETED BY THE ZONE CENTER**

39. Time to Death

φ φ

- _____ Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60)
- (00) Not fatal
- (96) Fatal - ruled disease
- (99) Unknown

40. 1st Medically Reported Cause of Death

φ φ

41. 2nd Medically Reported Cause of Death

φ φ

42. 3rd Medically Reported Cause of Death

φ φ

- _____ Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death
- (00) Not fatal or no additional causes
- (96) Mode of death given but specific injuries are not linked to cause of death. (specify):

- (97) Other result (includes fatal ruled disease) (specify):

- (99) Unknown

43. Number of Recorded Injuries for This Occupant

φ φ

- _____ Code the actual number of injuries recorded for this occupant.
- (00) No recorded injuries
- (97) Injured, details unknown
- (99) Unknown if injured

AUTOMATIC BELT SYSTEM44. Automatic (Passive) Belt System Availability/Function ☒

- (0) Not equipped/not available
 (1) 2 point automatic belts
 (2) 3 point automatic belts
 (3) Automatic belts - type unknown

Non-functional

- (4) Automatic belts destroyed or rendered inoperative
 (9) Unknown

45. Automatic (Passive) Belt System Use ☒

- (0) Not equipped/not available/destroyed or rendered inoperative
 (1) Automatic belt in use
 (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): _____

- (3) Automatic belt use unknown
 (9) Unknown

46. Automatic (Passive) Belt System Type ☒

- (0) Not equipped/not available
 (1) Non-motorized system
 (2) Motorized system
 (9) Unknown

47. Proper Use of Automatic (Passive) Belt System ☒

- (0) Not equipped/not available/not used
 (1) Automatic belt used properly
 (2) Automatic belt used properly with child safety seat

Automatic Belt Used Improperly

- (3) Automatic shoulder belt worn under arm
 (4) Automatic shoulder belt worn behind back
 (5) Automatic belt worn around more than one person
 (6) Lap portion of automatic belt worn on abdomen
 (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): _____

- (8) Other improper use of automatic belt system (specify): _____
 (9) Unknown

48. Automatic (Passive) Belt Failure Modes During Accident ☒

- (0) Not equipped/not available/not in use
 (1) No automatic belt failure(s)
 (2) Torn webbing (stretched webbing not included)
 (3) Broken buckle or latchplate
 (4) Upper anchorage separated
 (5) Other anchorage separated (specify): _____

- (6) Broken retractor
 (7) Combination of above (specify): _____
 (8) Other automatic belt failure (specify): _____

- (9) Unknown

49. Seat Orientation (this Occupant Position) ☒

- (0) Occupant not seated or no seat
 (1) Forward facing seat
 (2) Rear facing seat
 (3) Side facing seat (inward)
 (4) Side facing seat (outward)
 (8) Other (specify): _____

- (9) Unknown

STOP - VARIABLES 50 THROUGH 52 ARE COMPLETED BY THE ZONE CENTER

TRAUMA DATA50. Glasgow Coma Scale (GCS) Score (at Medical Facility) ☒ ☒

- (00) Not injured
 (01) Injured - not treated at medical facility
 (02) No GCS Score at medical facility
 (03-15) Code the actual value of the initial GCS Score recorded at medical facility.
 (97) Injured, details unknown
 (99) Unknown if injured

51. Was the Occupant Given Blood? ☒

- (1) No - blood not given
 (2) Yes - blood given (specify units): _____
 (9) Unknown if blood given

52. Arterial Blood Gases (ABG) - HCO₃ ☒ ☒

- (00) Not injured
 (01) Injured, ABGs not measured or reported
 (02-50) Code the actual value of the HCO₃
 (96) ABGs reported, HCO₃ unknown
 (97) Injured, details unknown
 (99) Unknown if injured

ARE ALL APPLICABLE MEDICAL RECORDS INCLUDED WITH INITIAL SUBMISSION?

NO ☒ YES ☐

UPDATE CANDIDATE?

NO ☒ YES ☐

AIRBAG SUPPLEMENT

1

ACCIDENT SUMMARY1. Accident Date: **4/93**

2. Police Investigated

- (1) Yes
(2) No
(3) Unknown

Agency:
City:
County:

3. General Locality

- (1) Freeway, Limited Access
(2) Urban (City)
(3) Urban-Rural (mixed)
(4) Rural, Fields

4. Configuration (First Harm)

- (0) Struck Object or Ped
(1) Rear-End
(2) Head-On
(3) Rear-to-Rear
(4) Angle
(5) Sideswipe-Same Direction
(6) Sideswipe-Opposite Dir.
(7) Noncollision
(8) Nonimpact Deployment
(9) Unknown

5. Fire Involved

- (0) None
(1) Airbag Vehicle
(2) Other Vehicle
(3) Both Vehicles
(9) Unknown

6. Vehicles Involved

7. Persons Involved

8. Injured Persons

9. Maximum AIS in Accident

AIRBAG VEHICLE INSPECTION10. Date Vehicle Inspected: **4/93**

11. Reason Vehicle Not Inspected

- (0) Not Required
(1) Inspection Completed
(2) Cannot be Located
(3) Repaired or Destroyed
(5) Refusal or Impounded
(7) Other:

12. Impact Data Obtained

- (0) No Data Obtained
(1) CDC Only
(2) Crush Profile Only
(3) Trajectory Data Only
(4) CDC and Crush Profile
(5) CDC and Trajectory
(6) Crush and Trajectory
(7) CDC, Crush, and Trajectory

13. Basis of Delta-V

- (0) Not Computed (Unknown why)
(1) CRASH - Damage Only
(2) CRASH - Damage + Traj
(3) OLDMISS
(4) POLES
(5) Unknown Basis
(6) One Vehicle Beyond Scope
(7) Collision Beyond Scope
(8) Insufficient Data

VEHICLE HISTORY

14. Prior Impacts for AB Vehicle?

- (1) Yes
(2) No
(9) Unknown

15. Prior AB Maintenance or Service

- (1) Yes, (2) No, (9) Unknown

Describe:

AIRBAG SUPPLEMENT

AIRBAG VEHICLE

Fleet: *NONE*VIN: *JH4KA7654MC ******Mileage: *16,984 Km (10551 m)*

SYSTEM READINESS LAMP

16. Pre-Impact Lamp Condition 1
- (1) Functioning/Proved Out
- (2) Inoperative
- (9) Unknown
17. Driver's Report of Pre-Impact Flashing 66
- (00) No Flashing Reported
- (01) Continuous Flashing
- (02) Number of Flashes: ____
- (11)
- (12) Constant Light
- (19) Flashing, Unknown Number
- (88) Not Applicable, System Removed
- (99) Unknown
18. Period of Pre-Impact Flashing φ
- (0) No Flashing
- (1) Same Day as Impact
- (2) Prior Day
- (3) Prior Two Days
- (4) Prior Week
- (5) Prior Month
- (6) Over One Month
- (9) Unknown
19. Post-Impact Lamp Condition 1
- (1) Functioning/Proved Out
- (2) Inoperative
- (9) Unknown
20. Post-Impact Flashing 99
- (00) No Flashing Reported
- (01) Continuous Flashing
- (02) Number of Flashes: ____
- (11)
- (12) Constant Light
- (19) Flashing, Unknown Number
- (88) Not Applicable, System Removed
- (99) Unknown

21. Airbag Vehicle First Harmful Event 44
- (01) Fire or explosion
- (02) Immersion
- (03) Gas Inhalation
- (04) Fell from vehicle
- (05) Injured in vehicle
- (06) Other noncollision (specify):
- (07) Overturn
- (08) Jackknife
- COLLISION WITH:
- (09) Pedestrian
- (10) Pedalcyclist
- (11) Railway train
- (12) Animal
- (13) Motor vehicle in transport (same roadway)
- (14) Motor vehicle in transport (other roadway)
- (15) Parked motor vehicle
- (16) Other type nonmotorist (specify):
- (17) Thrown or falling object
- (18) Boulder
- COLLISION WITH FIXED OBJECT
- (20) Building
- (21) Impact attenuator/crash cushion
- (22) Bridge pier or abutment
- (23) Bridge parapet end
- (24) Bridge rail
- (25) Guardrail
- (26) Concrete traffic barrier
- (27) Median barrier
- (28) Other longitudinal barrier (specify):
- (29) Highway/traffic sign post
- (30) Overhead sign support
- (31) Luminaire/light support
- (32) Utility pole
- (33) Other post, pole, or support
- (34) Culvert
- (35) Curb
- (36) Ditch
- (37) Embankment-earth
- (38) Embankment-rock, stone, or concrete
- (39) Fence
- (40) Wall
- (41) Fire hydrant
- (42) Shrubbery
- (43) Tree
- (44) Other fixed object (specify): *RAISED MANHOLE TUBE/COVER*
- (45) Pavement surface irregularity
- (99) Unknown

AIRBAG SUPPLEMENT

3

AIRBAG VEHICLE IMPACT SUMMARY

22. Vehicle Role 1
- (0) Noncollision
(1) Striking unit
(2) Struck unit
(3) Both striking and struck
(9) Unknown
23. Manner of Leaving Scene 1
- (1) Driven
(2) Towed-due to damage
(3) Towed-not for damage
(4) Towed-details unknown
(5) Abandoned
(9) Unknown
24. Number of Impact Events 1
- (8) 8 or more
(9) Unknown
25. Rollover φ
- (0) No rollover
(1) First event
(2) Subsequent event
(3) Yes, Unknown event
(9) Unknown
26. Override/Underride φ
- (0) No override/underride
(1) Override - 1st CDC
(2) Override - Other CDC
(3) Underride - 1st CDC
(4) Underride - Other CDC
(9) Unknown

AIRBAG VEHICLE DAMAGE

CODES: (1) Yes, (2) No, (9) Unknown

27. Left Front Fender Damage 2
28. Right Front Fender Damage 2
29. Center Top of Grille Damage 2

FRONT BUMPER E.A. STATUS

30. Left 1
31. Right 1
- (1) Normal
(2) Extended
(3) Partial Compression
(4) Complete Compression
(5) Not Applicable
(9) Unknown

FIRST AIRBAG VEHICLE IMPACT:

32. Configuration φ
- (0) Struck Object or Ped
(1) Rear-End
(2) Head-On
(3) Rear-to-Rear
(4) Angle
(5) Sideswipe-Same Direction
(6) Sideswipe-Opposite Dir.
(7) Noncollision
(8) Nonimpact Deployment
(9) Unknown
33. CDC: *φφ 4YLN 2*
34. Object Contacted: *RAISED MANHOLE TUBE*

PRIMARY/DEPLOYMENT IMPACT:

35. Event Number 1
36. Total Delta-V 99
37. Longitudinal Delta-V 99
38. Configuration φ
- See 32 above for codes
39. CDC: *φφ 4YLN 2*
40. Object Contacted: *RAISED MANHOLE TUBE*

AIRBAG SUPPLEMENT**AIRBAG SYSTEM DAMAGE**


CODES: (1) Yes, Damaged
 (2) No, Intact
 (3) Not Applicable
 (9) Unknown

- | | |
|---|--|
| 41. Airbag Module | <div style="border: 1px solid black; padding: 2px; display: inline-block;">2</div> |
| 42. Left Front Sensor | <div style="border: 1px solid black; padding: 2px; display: inline-block;">2</div> |
| 43. Center Front Sensor | <div style="border: 1px solid black; padding: 2px; display: inline-block;">3</div> |
| 44. Right Front Sensor | <div style="border: 1px solid black; padding: 2px; display: inline-block;">2</div> |
| 45. Rear Cowl Sensor | <div style="border: 1px solid black; padding: 2px; display: inline-block;">3</div> |
| 46. Diagnostic Module | <div style="border: 1px solid black; padding: 2px; display: inline-block;">2</div> |
| 47. Wiring | <div style="border: 1px solid black; padding: 2px; display: inline-block;">2</div> |
| 48. Knee Diverter | <div style="border: 1px solid black; padding: 2px; display: inline-block;">3</div> |
| 49. Indication of disconnected
or loose electrical
connectors | <div style="border: 1px solid black; padding: 2px; display: inline-block;">2</div> |
| 50. Condition of Deployed Bag | <div style="border: 1px solid black; padding: 2px; display: inline-block;">1</div> |
- (1) Bag intact
 (2) Split or torn
 (3) Cut by object in impact
 (4) Cut after accident
 (5) Other
 (8) NA (not deployed)
 (9) Unknown


DESCRIBE SYSTEM AND BAG DAMAGE: *NONE*

NOTE DAMAGE AND CONTACT MARKS ON AIRBAG DIAGRAMS
 BELOW: *NONE*

FRONT



BACK



AIRBAG SUPPLEMENT

5

OCCUPANTS OF AIRBAG CAR

51. Number of Occupants in Vehicle 2
52. Number of Injured Persons 1
53. Maximum AIS in Airbag Vehicle 1
- (0) No Injury
- (1-6) AIS Severity
- (7) Injured, unknown severity
- (9) Unknown

DRIVER

Age: 62

Sex: FEMALE

54. Number of Driver Injuries 1

55. Source of Best Injury Data 7
- (0) Not injured
- (1) Autopsy
- (2) Hospital Medical Records
- (3) Emergency Room only
- (4) Private physician, clinic
- (5) Lay Coroner Report
- (6) EMS Personnel
- (7) Interviewee
- (8) Police
- (9) Unknown

MAXIMUM AIS BY BODY REGION

REGION	MAX AIS	CONTACT
Head/Neck/Face	<u>1</u>	<u>AIR BAG</u>
Chest	_____	_____
Abdomen	_____	_____
Legs/Hips	_____	_____
Other (Arms)	_____	_____
Driver Maximum	<u>1</u>	<u>AIR BAG</u>

EJECTION NONEExtent: N/APortal: N/AOTHER VEHICLE: NONE

Maximum AIS

Prime/Deploy Impact w AB Vehicle
Event Number

CDC:


Total Delta V

Make:

Model Year:

Model:

Body Type:

**NOTES:**

AIRBAG SUPPLEMENT

6

DRIVER BELT USAGE: (1) Used (2) Not Used (9) Unknown 1

Evidence:

DRIVER POSTURE: Any comments Recorded (1) Yes, (2) No 1

Describe driver's posture and position on seat including specific comments on head, torso, buttocks, legs, and feet. Also note hand and arm position. Did driver brace before crash? Describe:

SITTING IN A NORMAL, UPRIGHT SEATED POSITION. BOTH HANDS ON STEERING WHEEL RIM, BUT EXACT POSITION NOT RECALLED. R. FOOT ON ACCELERATOR, L. FOOT ON FLOOR/TOR PEDAL. ELECTRIC SEAT WAS ADJUSTED TO THE FORWARD MOST POSITION.

DRIVER FOREIGN OBJECTS: Comments Recorded (1) Yes, (2) No 1

Was driver wearing contact lenses or eyeglasses? Or holding any foreign object at the time of the impact (packages on lap, pipe, food, bottle, cigarette, etc.)? Did any lenses, objects, or jewelry play any role?:

NO FOREIGN OBJECTS.

DRIVER COMMENTS: Comments Recorded (1) Yes, (2) No 1

Was the driver aware that the vehicle was equipped with a supplemental restraint system? Did driver offer any comments on smoke, noise, etc.? Did the driver comment on the airbag as a restraint system? Describe:

THE DRIVER WAS AWARE OF THE AIR BAG. STATED SHE WAS STARTLED BY A "HORROROUS" BANG AND A TERRIBLE SMELL. DRIVER FELT THAT AIR BAG SHOULD NOT HAVE DEPLOYED, BUT THAT IT WORKED WELL.

PASSENGER-AIRBAG CONTACT: (1) Yes, (2) No, (9) Unknown 2

Describe: